

## Main publications

1. Ferrer I, Fernández-Alvarez E  
Lisencefalia: agiria. Un estudio con el método de Golgi  
J Neurol Sci 34: 109-120 (1976)
2. Ferrer I, Navarro C  
Multicystic encephalopathy of infancy  
J Neurol Sci 38: 179-189 (1978)
3. Ferrer I, Picatoste F, Rodergas E, García A, Sabria J, Blanco I  
Histamine and mast cells in developing rat brain  
J Neurochem 32: 587-92 (1979)
4. Ferrer I, Isamat F, Acebes J  
A Golgi and electronmicroscopic study of a Dysplastic Gangliocytoma of the Cerebellum  
Acta Neuropathol 47: 163-165 (1979)
5. Sarmiento J, Ferrer I, Pons L, Ferrer E  
Cerebral mixed tumour: osteo-chondrosarcoma-glioblastoma  
Acta Neurochir 50: 335-341 (1979)
6. Ferrer I, Sarmiento J  
Nascent microglia in the developing brain  
Acta Neuropathol. 50: 61-67 (1980)
7. Ferrer I, Sarmiento J  
Reactive microglia in the developing brain  
Acta Neuropathol 50: 69-76 (1980)
8. Ferrer I, Arbizu T, Peña J, Peres-Serra J  
A Golgi and ultrastructural study of a dominant form of Kufs disease  
J Neurol 222: 183-190 (1980)
9. Savall R, Ferrándiz C, Ferrer I, Peyrí J  
Idiopathic guttate hypomelanosis  
Br J Dermatol 103: 635-642 (1980)
10. Pou-Sarradell A, Aguilar M, Soler L, Ferrer I  
Myopathie congénitale benigne avec prépondérance des fibres de type I et des rares cores  
chez la mère asymptotique  
Rev Neurol (Paris) 136: 853-862 (1980)
11. Ferrer I, Sarmiento J  
Lipid inclusions in the telencephalic neuroglia of the developing rat  
J Hirnforsch 22: 307-312 (1981)
12. Ferrer I, Costa F, Grau-Veciana JM  
Creutzfeldt-Jakob disease. A Golgi study  
Neuropathol Appl Neurobiol 7: 237-242 (1981)
13. Ferrer I  
Schilder's disease. A study of the cerebral cortex with the Golgi method  
Child's Brain 8: 294-298 (1981)
14. Ferrer I, Martínez-Matos JA  
Development of non-pyramidal neurons in the rat sensory- motor cortex during the fetal and  
early postnatal periods  
J Hirnforsch 22: 555-562 (1981)

15. López-Pousa S, Ferrer I, Domenech JM  
Angiogenic activity in the CSF in human malignancies  
*Experientia* 37: 41 (1981)
16. Ferrer I, Fábregues I, Palacios G  
An autoradiographic study of methyl-azoxy-methanol acetate-induced cortical malformation  
*Acta Neuropathol* 57: 313-315 (1982)
17. Roig C, Ferrer I  
Bleeding in siringobulbia. A fatal complication  
*Eur Neurol* 21: 189-193 (1982)
18. López-Pousa S, Vich JM, Ferrer I, Domenech JM, López-Pousa A, Real F  
Angiogenic activity in fluid samples from tumoral patients  
*Cáncer* 52: 1365-1368 (1983)
19. Ferrer I, Ribalta T, Digón E, Acebes J  
Cerebral ganglioglioma. A Golgi study  
*Virch Arch (Pathol Anat)* 400: 69-75 (1983)
20. Fábregues I, Ferrer I  
Abnormal perisomatic structures in non-pyramidal neurons in Down syndrome  
*Neuropathol Appl Neurobiol* 9: 165-170 (1983)
21. Ferrer I, Aymamí M, Rovira A, Grau-Veciana JM  
Growth of abnormal neurites in atypical Alzheimer's disease. A study with the Golgi method  
*Acta Neuropathol* 59: 167-170 (1983)
22. Graus F, Ferrer I, Lamarca J  
Mixed carcinomatous neuropathy in patients with lung cancer and lymphoma  
*Acta Neurol Scand* 68: 40-48 (1983)
23. Ferrer I, Fábregues I, Pineda M, Fernández-Alvarez E, Cusí V, Vila J  
Diagnosis of infantile neuroaxonal dystrophy by conjunctival biopsy  
*Neuropaediatrics* 14: 53-55 (1983)
24. Ferrer I, Xumetra A, Santamaría J  
Cerebral malformation induced by prenatal X-irradiation: an autoradiographic and Golgi study  
*J Anat* 138: 81-93 (1984)
25. Fábregues I, Ferrer I, Cusí V, Bugié C, Fernández-Alvarez E, Feijóo I  
Fine structure based on the Golgi method of the abnormal cortex and heterotopic nodules in pachygyria  
*Brain Develop* 6: 317-322 (1984)
26. Fábregues I, Ferrer I, Cahuana A, Giner P  
The cerebral cortex of the newborn guinea pig. A quantitative Golgi study of the layer V pyramidal cell  
*J Hirnforsch* 25: 291-294 (1984)
27. Masó E, Ferrer I, Herraiz J, Roquer J, Serrano S  
Leigh's syndrome in an adult  
*J Neurol* 231: 253-257 (1984)
28. Ferrer I, Fábregues I, Pineda M, Gracia T, Ribalta T  
A Golgi of cerebellar atrophy in human chronic alcoholism  
*Neuropathol Appl Neurobiol* 10: 245-253 (1984)
29. Ferrer I  
A Golgi analysis of unlayered polymicrogyria

Acta Neuropathol 65: 69-76 (1984)

30. Ferrer I, Fábregues I, Coll J, Ribalta T, Rives A  
Tuberous sclerosis. A Golgi study of cerebellar tuber  
Clin Neuropathol 3: 47-51 (1984)

31. Pineda M, González A, Fábregues I, Fernández-Alvarez E  
Familial agenesis of the corpus callosum with hypothermia and apneic spells  
Neuropaediatrics 15: 63-67 (1984)

32. Fábregues I, Ferrer I, Gairí JM, Cahuana A, Giner P  
Effects of prenatal exposure to ethanol on the maturation of the pyramidal neurons in the cerebral cortex of the guinea-pig. A quantitative Golgi study  
Neuropathol Appl Neurobiol 11: 291-298 (1985)

33. Ferrer I, Cusí V, Liarte A, Campistol J  
A Golgi study of the polymicrogyric cortex in Aicardi syndrome  
Brain Develop 8: 518-525 (1986)

34. Ferrer I, Fábregues I, Reiriz J, Galofré E  
Decreased numbers of dendritic spines on cortical pyramidal neurons in human chronic alcoholism  
Neurosci Lett 69: 115-119 (1986)

35. López-Tejero D, Ferrer I, Llobera M, Herrera E  
Effects of prenatal ethanol exposure on physical growth, sensory reflex maturation and brain development in the rat  
Neuropathol Appl Neurobiol 12: 251-260 (1986)

36. Ferrer I, Fábregues I, Condom E  
A Golgi study of the sixth layer of the cerebral cortex. I.- The lissencephalic brain of Rodentia, Lagomorpha, Insectivora and Chiroptera  
J Anat 145: 217-234 (1986)

37. Ferrer I, Fábregues I, Condom E  
A Golgi study of the sixth layer of the cerebral cortex. II.- The gyrencephalic cortex of Carnivora, Artiodactyla and Primates  
J Anat 146: 87-104 (1986)

38. Ferrer I, Galofré E, Soler T  
Structure of the isolated cerebellum and related nuclei developed within the matrix of a mature ovarian teratoma  
Child's Nerv Syst 2: 266-269 (1986)

39. Ferrer I  
Golgi study of the isocortex in an insectivore: the common european mole (*Erinaceus europaeus*)  
Brain Behav Evol 29: 105-114 (1986)

40. Ferrer I, Ribalta T, Fábregues I, Pineda M, Cusí V  
A Golgi study of the cerebellar malformation in 13 trisomy  
Clin Neuropathol 5: 53-59 (1986)

41. Blanco I, Ferrer I, Toledo A, Sabria J, Picatoste F, Rodriguez R, Bradner R, Rodriguez J, Sentís M  
Subcellular localization of brain mast cell histamine in developing rat  
Neurochem Int 11: 451-461 (1987)

42. Galofré E, Ferrer I, Fábregues I, López-Tejero D

Effects of prenatal ethanol exposure on dendritic spines of layer V pyramidal neurons in the somatosensory cortex of the rat  
J Neurol Sci 81: 185-195 (1987)

43. Ferrer I, Sirvent J, Manresa JM, Galofré E, Fernández-Alvarez E, Pineda M  
Primary degeneration of the granular layer of the cerebellum (Norman type). A Golgi study  
Acta Neuropathol 75: 203-208 (1987)

44. Galofré E, Ferrer I  
Development of dendritic spines in the V layer pyramidal neurons of the rat's somatosensory cortex. A qualitative and quantitative study  
J Hirnforsch  
28: 653-659 (1987)

45. Pou A, Russi A, Ferrer I, Galofré E, Escudero D  
Maladie de Machado-Joseph dans une famille d'origine espagnole  
Rev Neurol (Paris) 143: 520-525 (1987)

46. Ferrer I, Fábregues I, Condom E  
A Golgi study of the sixth layer of the cerebral cortex. III.- Neuronal changes during normal and abnormal cortical folding  
J Anat 152: 71-82 (1987)

47. Sabria J, Ferrer I, Toledo A, Sentís M, Blanco I  
Effects of altered thyroid function on histamine levels and mast cell numbers in neonatal rat brain  
J Pharmacol Exp Therap 240: 612-616 (1987)

48. Ferrer I, Galofré E  
Dendritic spine anomalies in fetal alcohol syndrome  
Neuropaediatrics 18: 161-163 (1987)

49. Ferrer I, Sancho S  
Non-pyramidal neurons of layers I-III in the dog's cerebral cortex (parietal lobe)  
Acta Anat 129: 43-52 (1987)

50. Ferrer I, Campistol J, Tobeña L, Cusí V, Galofré E, Prat J  
Degenerescence systematisée optico-cochleo-dentelée  
J Neurol 234: 416-420 (1987)

51. Ferrer I  
The basic structure of the neocortex in insectivorous bats  
J Hirnforsch 28: 237-243 (1987)

52. Catalá I, Ferrer I, Galofré E, Fábregues I  
Decreased numbers of dendritic spines on cortical pyramidal neurons in dementia. A quantitative Golgi study in biopsy samples  
Human Neurobiol 6: 255-259 (1988)

53. Ferrer I, Galofré E, López-Tejero D, Llobera M  
Morphological recovery of hippocampal pyramidal neurons in the adult rat exposed in utero to ethanol  
Toxicology 48: 191-197 (1988)

54. Matías Guiu X, Ferrer I, Molet J, Prat J  
Meningo-angiomas. A case report  
Br J Neurosurg 2: 637-640 (1988)

55. Ferrer I, Kulisewski J, Vázquez J, González G, Pineda M  
Purkinje cells in degenerative diseases of the cerebellum and its connections. A Golgi study

Clin Neuropathol 7: 22-28 (1988)

56. Ferrer I, Perera M

Structure and nerve cell organization in the cerebral cortex of the dolphin *Stenella coeruleoalba*. A Golgi study with special attention to the primary auditory area  
Anat Embryol 178: 161-173 (1988)

57. Kulisewski J, Martí MJ, Ferrer I, Tolosa E

Meige syndrome: Neuropathology of a case  
Mov Disord 3: 170-175 (1988)

58. Ferrer I, Vidaller A, Fernández de Sevilla A, Martínez-Matos JA, Montero J, Romagosa V

Peripheral neuropathy associated with angioimmunoblastic lymphadenopathy  
Clin Neurol Neurosurg 90: 159-162 (1988)

59. Tuñón T, Ferrer I, Gallego J, Delgado G

Leucodystrophy with pigmented glial and scavenger cells (Pigmentary type of orthochromatic leucodystrophy)  
Neuropathol Appl Neurobiol 14: 337-344 (1988)

60. Ferrer I, Cusí V, Pineda M, Galofré E, Vila J

Focal dendritic swellings in Purkinje cells in mucopolysaccharidoses I, II and III: A Golgi and electron microscopical study  
Neuropathol Appl Neurobiol 14: 315-323 (1988)

61. Ferrer I, Hernández-Martí E, Bernet E, Galofré E

Formation and growth of the cerebral convolutions. I.- Postnatal development of the median-suprasylvian gyrus and adjoining sulci in the cat  
J Anat 160: 89-100 (1988)

62. López-García C, Mollowny A, García Verdugo A, Ferrer I

Delayed postnatal neurogenesis in the cerebral cortex of lizards  
Devl Brain Res 45: 303-308 (1989)

63. Ferrer I, Hernández-Martí M, Bernet E, Calopa M

Formation and growth of the cerebral convolutions. II.-Cell death in the gyrus suprasylvius and adjoining sulci in the cat  
Devl Brain Res 45: 303-308 (1989)

64. García Verdugo JM, Llahí S, Ferrer I, López-García C

Postnatal neurogenesis in the olfactory bulbs of a lizard. A tritiated thymidine autoradiographic study  
Neurosci Lett 98: 247-252 (1989)

65. Ferrer I, García-Bach M, Aparicio MA, Acebes J, Twose J, Isamat F

Plasma cell granuloma of the hypothalamic region  
Acta Neurochir 99: 152-156 (1989)

66. Illa I, Graus F, Ferrer I, Enríquez J

Sensory neuropathy as the initial manifestation of primary biliary cirrhosis  
J Neurol Neurosurg Psychiatr 52: 1307 (1989)

67. Ferrer I, Galofré E, Fábregues I, López-Tejero D

Effects of chronic ethanol consumption beginning at adolescence: increased numbers of dendritic spines on cortical pyramidal cells in the adulthood  
Acta Neuropathol 78: 528-532 (1989)

68. Ferrer I

Developmental aspects of the bat  
Neurosci Res 6: 573-580 (1989)

69. Ferrer I, Serrano T, Soriano E  
Naturally-occurring cell death in the subicular complex and hippocampus in the rat during development  
Neurosci Res 8: 60-66 (1990)

70. Graus F, Ferrer I  
Analysis of neuronal antigen (Hu) expression in the developing rat brain detected by autoantibodies from patients with paraneoplastic encephalomyelitis  
Neurosci Lett 112: 14-18 (1990)

71. Matías-Guiu X, Alejo M, Soler T, Ferrer I, Noboa R, Bartumeus F  
Cavernous angiomas of the cranial nerves  
J Neurosurg 73: 620-622 (1990)

72. Ferrer I, Martí E, Bella R, Serrano T, Twose J, Conesa G, Isamat F  
Studies with the Golgi method in central gangliogliomas and dysplastic gangliocytoma of the cerebellum (Lhermitte-Duclos disease)  
Histol Histopathol 5: 329-336 (1990)

73. Ferrer I, Gullotta F  
Down's syndrome and Alzheimer's disease: dendritic spine counts in the hippocampus  
Acta Neuropathol 79: 680-685 (1990)

74. Ferrer I, Guionnet N, Cruz-Sánchez F, Tuñón T  
Neuronal alterations in patients with dementia: a Golgi study on biopsy samples  
Neurosci Lett 114: 11-16 (1990)

75. Ferrer I, Bella R, Serrano T, Martí E, Guionnet N  
Arteriosclerotic leucoencephalopathy in the elderly and its relation to white matter lesions in Binswanger's disease, multi-infarct encephalopathy and Alzheimer's disease  
J Neurol Sci 98: 37-50 (1990)

76. Vázquez-Cruz J, Martí-Vilalta JL, Ferrer I, Pérez-Gallofré A, Folch J  
Progressing cerebral infarction in relation to plasma glucose in gerbils  
Stroke 21: 1621-1624 (1990)

77. Ferrer I, Bernet E, Soriano E, Del Rio T, Fonseca M  
Naturally-occurring cell death in the cerebral cortex of the rat and removal of dead cells by transitory phagocytes  
Neuroscience 2: 451-458 (1990)

78. Sierra A, Prat J, Romeu A, Martínez-Matos JA, Bella R, Ferrer I, Buendía E  
Blood lymphocytes are sensitized to brachial plexus nerves in patients with neuralgic amyotrophy  
Acta Neurol Scand 83: 183-186 (1991)

79. Servitge O, Serón D, Ferrer I, Carrera M, Pagerols X, Peyrí J  
Quantitative and morphometric analysis of Langerhans cells in non-exposed skin in renal transplant patients  
J Cutan Pathol 18: 106-111 (1991)

80. Cruz-Sánchez F, Martos JA, Rives A, Ribalta T, Ferrer I, Cardesa A  
Adult type of leukodystrophy. Krabbe's disease?  
Clin Neurol Neurosurg 93: 217-222 (1991)

81. Cruz-Sánchez F, Ferrer I, Rossi ML  
On the white matter changes in spongiform encephalopathy

Dementia 2: 106-111 (1991)

82. Ferrer I, Soriano E, Martí E, Digón E, Reyners H, Gianfelici de Reyners E  
Development of dendritic spines in the cerebral cortex of the micrencephalic rat following prenatal X-irradiation  
Neurosci Lett 125: 183-186 (1991)

83. Ferrer I, Roig C, Peiro G, Matías-Guiu X  
Dementia of frontal lobe type and motor neuron disease. A Golgi study of the frontal cortex  
J Neurol Neurosurg Psychiatr 54: 932-934 (1991)

84. Ferrer I, Catalá I  
Unlayered polymicrogyria: structural and developmental aspects  
Anat Embryol 184: 517-528 (1991)

85. Soriano E, del Rio JA, Martínez-Guijarro FJ, Ferrer I, López C  
Immunocytochemical detection of 5'-Bromodeoxyuridine in Fluoro-Gold-labeled neurons: a simple technique to combine retrograde axonal tracing and neurogenetic characterization of neurons  
J Neurochem Cytochem 39: 1565-1570 (1991)

86. del Rio JA, Soriano E, Ferrer I  
A transitory population of substance P-like immunoreactive neurons in the developing cerebral cortex of the mouse  
Devl Brain Res 64: 205-211 (1991)

87. Ferrer I, Soriano E, Martí E, Laforet E, Reyners H, Gianfelici de Reyners E  
Naturally-occurring, postnatal cell death in the cerebral cortex of the micrencephalic rat induced by prenatal X-irradiation  
Neurosci Res 12: 446-451 (1991)

88. Ferrer I, Soriano E, Tuñón T, Fonseca M, Guionnet N  
Parvalbumin-immunoreactive neurons in normal human temporal neocortex and in patients with Alzheimer's disease  
J Neurol Sci 106: 135-141 (1991)

89. Ferrer I, Tuñón T, Soriano E, del Rio A, Iraizoz I, Fonseca M, Guionnet N  
Calbindin immunoreactivity in normal human temporal cortex  
Brain Res 572: 33-41 (1992)

90. Ferrer I, Zújar MJ, Admella C, Alcántara S  
Parvalbumin and calbindin immunoreactivity in the cerebral cortex of the hedgehog  
J Anat 180: 165-174 (1992)

91. Cruz-Sánchez F, Marín C, Rossi M, Cardozo A, Ferrer I, Tolosa E  
Ubiquitin in cerebral amyloid angiopathy  
J Neurol Sci 112: 46-50 (1992)

92. Cruz-Sánchez F, García-Bachs M, Rossi ML, Rodríguez Prados S, Ferrer I, Coakham HB, Ferreres JC, Figols J, Palacín A  
Epithelial differentiation in gliomas, meningiomas and choroid plexus papillomas  
Virchows Archiv B Cell Pathol 62: 25-34 (1992)

93. Ferrer I, Soriano E, del Rio JÁ, Alcántara S, Auladell C  
Cell death and removal in the cerebral cortex during development  
Progr Neurobiol 39: 1-43 (1992)

94. Soriano E, del Rio JA, Ferrer I, Auladell C, de Lecea L, Alcántara S

Late appearance of parvalbumin-immunoreactive neurons in the rodent cerebral cortex does not follow an "inside-out" sequence  
Neurosci Lett 142: 147-150 (1992)

95. Ferrer I, Pineda M, Tallada M, Oliver B, Russi A, Oller L, Noboa R, Zújar MJ, Alcántara S  
Abnormal local-circuit neurons in epilepsia partialis continua associated with focal cortical dysplasia  
Acta Neuropathol 83: 647-652 (1992)

96. Ferrer I  
Dementia of frontal lobe type  
Behav Neurol 5: 87-96 (1992)

97. Tuñón T, Insausti R, Ferrer I, Sobreviela T, Soriano E  
Parvalbumin and calbindin D-28k in the human entorhinal cortex. An immunohistochemical study  
Brain Res 589: 24-32 (1992)

98. del Rio JA, Soriano E, Ferrer I  
Development of GABA-immunoreactivity in the neocortex of the mouse  
J Comp Neurol 326: 501-526 (1992)

99. Ferrer I  
The effect of cycloheximide on natural and X-ray-induced cell death in the developing cerebral cortex  
Brain Res 588: 351-357 (1992)

100. Ferrer I, Alcántara S, Martí E  
A four-layered "lissencephalic" cortex induced by prenatal X-irradiation in the rat  
Neuropathol Appl Neurobiol 19: 74-81 (1993)

101. Ferrer I, Alcántara S, Zújar MJ, Cinós C  
Structure and pathogenesis of cortical nodules induced by prenatal X-irradiation in the rat  
Acta Neuropathol 85: 205-212 (1993)

102. Ferrer I, Santamaría J, Alcántara S, Zújar MJ, Cinós C  
Neuronal ectopic masses induced by prenatal irradiation in the rat  
Virchows Arch A Pathol Anat 422: 1-6 (1993)

103. Ferrer I, Alcántara S, Catalá I, Zújar MJ  
Experimentally-induced laminar necrosis, status verrucosus, focal cortical dysplasia reminiscent of microgyria, and porencephaly in the rat  
Exp Brain Res 94: 261-269 (1993)

104. Ferrer I, Serrano T, Alcántara S, Tortosa A, Graus F  
X-ray-induced cell death in the developing hippocampal complex involves neurons and requires protein synthesis  
J Neuropathol Exp Neurol 52: 370-378 (1993)

105. Ferrer I, Isamat F, López-Obarrio L, Conesa G, Rimbau J, Alcántara S, Español I, Zújar MJ  
Parvalbumin and calbindin D-28K immunoreactivity in central ganglioglioma and dysplastic gangliocytoma of the cerebellum  
J Neurosurg 78: 133-137 (1993)

106. Alcántara S, Ferrer I, Soriano E  
Postnatal development of parvalbumin and calbindin D28K immunoreactivities in the cerebral cortex of the rat  
Anat Embryol 188: 63-73 (1993)



107. Ferrer I, Tuñón T, Soriano E, del Rio JA, Iraizoz I, Fonseca M, Guionnet N  
Calbindin D28k immunoreactivity in the temporal neocortex in patients with Alzheimer's disease  
*Clin Neuropathol* 12: 53-58 (1993)
108. Fueyo J, Ferrer I, Vallderiola F, Graus F  
The expression of a neuronal nuclear antigen (Ri) recognized by the human anti-Ri autoantibody in the developing rat nervous system  
*Neurosci Lett* 162: 141-144 (1993)
109. Seress L, Gulyas A, Ferrer I, Tuñón T, Soriano E, Freund TF  
Distribution, morphological features, and synaptic connections of parvalbumin- and calbindin D28k-immunoreactive neurons in the human hippocampal formation  
*J Comp Neurol* 337: 208-230 (1993)
110. Cequier A, Maurí J, Soler T, Ferrer I, Sabaté X, Esplugas E  
Cyclic changes in pulmonary wedge v waves in dilated cardiomyopathy  
*Eur Heart J* 14: 993-996 (1993)
111. Ferrer I, Zújar MJ, Rivera R, Soria M, Vidal A, Casas R  
Parvalbumin-immunoreactive dystrophic neurites and aberrant sprouts in the cerebral cortex of patients with Alzheimer's disease  
*Neurosci Lett* 158: 1663-1666 (1993)
112. Tortosa A, Ferrer I  
Parvalbumin immunoreactivity in the hippocampus of the gerbil after transient forebrain ischaemia: a qualitative and quantitative sequential study  
*Neuroscience* 55: 33-43 (1993)
113. Munujos P, Vendrell M, Ferrer I  
Proto-oncogene c-fos induction in thiamine-deficient encephalopathy. Protective effects of nicardipine on pyrithiamine-induced lesions  
*J Neurol Sci* 118: 175-180 (1993)
114. Fonseca M, Soriano E, Ferrer I, Martínez A, Tuñón T  
Chandelier cell axons identified by parvalbumin-immunoreactivity in the normal human temporal cortex and in Alzheimer's disease  
*Neuroscience* 55: 1107-1116 (1993)
115. Ferrer I, Tuñón T, Serrano T, Casas R, Alcántara S, Zújar MJ, Rivera RM  
Calbindin D-28k and parvalbumin immunoreactivity in the frontal cortex in patients with frontal lobe dementia of non-Alzheimer type associated with amyotrophic lateral sclerosis  
*J Neurol Neurosurg Psychiatr* 56: 257-261 (1993)
116. Ferrer I, Pumarola M, Rivera R, Zújar MJ, Cruz-Sánchez F, Vidal S  
Primary central white matter degeneration in old dogs  
*Acta Neuropathol* 86: 172-175 (1993)
117. Ferrer I  
Experimentally induced cortical malformations in rats  
*Child's Nerv Syst* 9: 403-407 (1993)
118. Condom E, Vidal A, Rota R, Graus F, Dalmau J, Ferrer I  
Paraneoplastic intestinal pseudo-obstruction associated with high titres of Hu autoantibodies  
*Virchows Arch A Pathol Anat* 423: 507-511 (1993)
119. Ferrer I, Vidal A, Martínez S, Tuñón T, Saracibar N  
Widespread axonal damage in patients with adult orthochromatic leucodystrophy (simple type, pigment type)  
*Neurodegeneration* 2: 249-252 (1993)

120. Ferrer I, Casas R, Rivera R  
Parvalbumin-immunoreactive cortical neurons in Creutzfeldt-Jakob disease  
Ann Neurol 34: 864-866 (1993)
121. Tortosa A, Rivera R, Ambrosio S, Bartrons R, Ferrer I  
Fructose-1,6-bisphosphate fails to ameliorate delayed neuronal death in the CA1 area after transient forebrain ischaemia in gerbils  
Neuropharmacology 32: 1367-1371 (1993)
122. Ferrer I, Serrano T, Rivera R, Olivé M, Zújar MJ, Graus F  
Radiosensitive populations and recovery in x-ray-induced apoptosis in the developing cerebellum  
Acta Neuropathol 86: 491-500 (1993)
123. Díaz-Pérez C, Pérez-Tomás C, Domingo J, Ferrer I  
Immunohistochemical localization of transforming growth factor-alpha in choroid plexus of the rat and chicken  
Neurosci Lett 164: 44-46 (1993)
124. Tortosa A, Rivera R, Ferrer I  
Dose-related effects of cycloheximide on delayed neuronal death in the gerbil hippocampus after bilateral transitory forebrain ischemia  
J Neurol Sci 121: 10-17 (1994)
125. Ferrer I, Genís D, Dávalos A, Bernadó L, Sant F, Serrano T  
The Purkinje cell in olivopontocerebellar atrophy. A Golgi and immunohistochemical study  
Neuropathol Appl Neurobiol 20: 38-46 (1994)
126. Olivé M, Sirvent J, Ferrer I  
Congenital muscular dystrophy with distinct CNS involvement  
Neuropediatrics 25: 48-50 (1994)
127. Ferrer I, Tortosa A, Macaya A, Sierra A, Moreno D, Munell F, Blanco R, Squier W  
Evidence of nuclear DNA fragmentation following hypoxia- ischemia in the infant rat brain, and transient forebrain ischemia in the adult gerbil  
Brain Pathol 4: 115-122 (1994)
128. Espino A, Tortosa A, Bendahan G, Bartrons R, Calopa M, Ferrer I, Ambrosio S  
Stereotaxic administration of 1-methyl-4-phenylpyridinium ion (MPP+) decreases striatal fructose 2,6-bisphosphate in rats  
J Neurochem 62: 1913-1920 (1994)
129. Olivé M, Ribera R, Ferrer I  
Parvalbumin immunocytochemistry and calcium deposition in muscle fiber necrosis and subsequent regeneration following intramuscular injection of metoclopramide  
Muscle & Nerve 17: 494-499 (1994)
130. Ferrer I, Oliver B, Russi A, Casas R, Rivera R  
Parvalbumin and calbindin-D28k immunocytochemistry in human neocortical epileptic foci  
J Neurol Sci 123: 18-25 (1994)
131. Fernández JM, Dávalos A, Ferrer I, Cervera C, Codina A, Ochoa JL  
Acute sensory neuronopathy: Report of a child with remarkable clinical recovery  
Neurology 44: 762-764 (1994)
132. Ferrer I, Kulisevsky J, González G, Escartín A, Chivite A, Casas R  
Parvalbumin-immunoreactive neurons in the cerebral cortex and striatum in Huntington's disease  
Neurodegeneration 3: 169-173 (1994)

133. Tortosa A, Ferrer I  
Poor correlation between delayed neuronal death induced by transient forebrain ischemia, and immunoreactivity for parvalbumin and calbindin D-28k in developing gerbil hippocampus  
*Acta Neuropathol.* 88: 67-74 (1994)
134. Ferrer I, Borrás D  
Effects of X-irradiation on glial cells in the developing rat brain  
*Int J. Radiat Biol* 66: 181-187 (1994)
135. Pol O, Ferrer I, Puig M  
Diarrhea associated with intestinal inflammation increases the potency of Mu and Delta opioids on the inhibition of gastrointestinal transit in mice  
*J Pharmacol Exp Therap* 270: 386-391 (1994)
136. Soriano MA, Tortosa A, Planas AM, Rodriguez-Farré E, Ferrer I  
Induction of HSP70 mRNA and HSP70 protein in the hippocampus of the developing gerbil following transient forebrain ischemia  
*Brain Res* 653: 191-198 (1994)
137. Alcántara S, Ferrer I  
Postnatal development of parvalbumin immunoreactivity in the cerebral cortex of the cat  
*J Comp Neurol* 348: 133-149 (1994)
138. del Río JA, de Lecea L, Ferrer I, Soriano E  
The development of parvalbumin immunoreactivity in the neocortex of the mouse  
*Devl Brain Res* 81: 247-259 (1994)
139. Olivé M, Ferrer I  
Postnatal development of parvalbumin immunoreactivity in striated muscles of the rat  
*Anat Embryol* 190: 301-305 (1994)
140. Ferrer I, Tortosa A, Condom E, Blanco R, Macaya A, Planas A  
Increased expression of bcl-2 immunoreactivity in the developing cerebral cortex of the rat  
*Neurosci Lett* 179: 13-16 (1994)
141. Olivé M, Ferrer I  
Parvalbumin immunohistochemistry in denervated skeletal muscle  
*Neuropathol Appl Neurobiol* 20: 495-500 (1994)
142. Planas AM, Soriano MA, Ferrer I, Rodriguez-Farré E  
Regional expression of inducible heat shock protein-70 mRNA in the rat brain following administration of convulsant drugs  
*Mol Brain Res* 27: 127-137 (1994)
143. Planas AM, Soriano MA, Ferrer I, Rodriguez-Farré E  
Kainic acid inhibits protein amino acid incorporation in select rat brain regions  
*NeuroReport* 5: 2333-2336 (1994)
144. Soriano MA, Planas AM, Rodriguez-Farré E, Ferrer I  
Early 72kDa heat shock protein induction in microglial cells following focal ischemia in the rat brain  
*Neurosci Lett* 182: 205-207 (1994)
145. Vidal A, Blanco R, Ferrer I  
Ubiquitinated structures in the white matter of the gerbil following chronic cerebral hypoperfusion  
*NeuroReport* 5: 2606-2608 (1994)

146. Ferrer I, Tortosa A, Blanco R, Martín F, Serrano T, Planas A, Macaya A  
Naturally-occurring cell death in the developing cerebral cortex of the rat. Evidence of apoptosis-associated internucleosomal DNA fragmentation  
*Neurosci Lett* 182: 77-79 (1994)
147. Soriano MA, Ferrer I, Rodríguez-Farré E, Planas AM  
Expression of c-fos and inducible hsp-70 mRNA following a transient episode of focal ischemia that had non-lethal effects on the rat brain  
*Brain Res* 670: 317-320 (1995)
148. Planas AM, Soriano MA, Ferrer I, Rodríguez-Farré E  
Kainic-acid-induced heat shock protein-70, mRNA and protein expression is inhibited by MK-801 in certain rat brain regions  
*Eur J Neurosci* 7: 293-304 (1995)
149. Genis D, Matilla T, Volpini V, Rosell J, Dávalos A, Ferrer I, Molins A, Estivill X  
Clinical, neuropathologic, and genetic studies of a large spinocerebellar ataxia type 1 (SCA1) kindred: (CAG)<sub>n</sub> expansion and early premonitory signs and symptoms  
*Neurology* 45: 24-30 (1995)
150. Ferrer I, Blanco R, Carulla M, Condom E, Alcántara S, Olivé M, Planas A  
Transforming growth factor- $\alpha$  immunoreactivity in the developing and adult brain  
*Neuroscience* 66: 189-199 (1995)
151. Ferrer I, Macaya A, Blanco R, Olivé M, Cinós C, Munell F, Planas AM  
Evidence of internucleosomal DNA fragmentation and identification of dying cells in X-ray-induced cell death in the developing rat brain  
*Int J Dev Neurosci* 13: 21-28 (1995)
152. Palacios G, Mengod G, Tortosa A, Ferrer I, Palacios JM  
Increased  $\beta$ -amyloid precursor protein expression in astrocytes in the gerbil hippocampus following ischaemia: association with proliferation of astrocytes  
*Eur J Neurosci* 7: 501-510 (1995)
153. Ferrer I, Olivé M, Rivera R, Pou A, Narberhaus B, Ugarte A  
Hereditary spastic paraparesis with dementia, amyotrophy and peripheral neuropathy. A neuropathological study  
*Neuropathol Appl Neurobiol* 21: 255-261 (1995)
154. Ferrer I, Olivé M, Blanco R, Ballabriga J, Cinós C, Planas AM  
Amoeboid microglial response following X-ray-induced apoptosis in the neonatal rat brain  
*Neurosci Lett* 193: 109-112 (1995)
155. Olivé M, Blanco R, Rivera R, Cinós C, Ferrer I  
Cell death induced by gamma irradiation of developing skeletal muscle  
*J Anat* 187: 127-132 (1995)
156. Fuentes JJ, Pritchard MA, Planas AM, Bosch A, Ferrer I, Estivill X  
A new human gene from the Down syndrome critical region encodes a proline-rich protein highly expressed in fetal brain and heart  
*Hum Mol Genet* 4: 1935-1944 (1995)
157. Ferrer I, Soriano MA, Vidal A, Planas AM  
Survival of parvalbumin-immunoreactive neurons in the gerbil hippocampus following transient forebrain ischemia does not depend on HSP-70 protein induction  
*Brain Res* 692: 41-46 (1995)
158. Alcántara S, Ferrer I  
Postnatal development of calbindin-D28k immunoreactivity in the cerebral cortex of the cat  
*Anat Embryol* 192: 369-384 (1995)

159. Ferrer I, Martín F, Serrano T, Reiriz J, Pérez-Navarro E, Alberch J, Macaya A, Planas AM  
Both apoptosis and necrosis occur following intrastriatal administration of excitotoxins  
*Acta Neuropathol* 90: 504-510 (1995)
160. Espino A, Cutillas B, Tortosa A, Ferrer I, Bartrons R, Ambrosio S  
Chronic effects of single intrastriatal injections of 6-hydroxydopamine or 1-methyl-4-phenylpyridinium studied by microdialysis in freely moving rats  
*Brain Res* 695: 151-157 (1995)
161. Ferrer I, Planas AM  
Induction of heat-shock protein-70 messenger RNA and protein following systemic kainate injection in the rat: evidence of protein axonal transport  
*Neuroscience* 69: 1111-1118 (1995)
162. Planas AM, Soriano MA, Rodríguez-Farré E, Ferrer I  
Induction of cyclooxygenase-2 mRNA and protein following transient focal ischemia in the rat brain  
*Neurosci Lett* 200: 187-190 (1995)
163. Ferrer I, Barrón S, Rodríguez-Farré E, Planas AM  
Ionizing radiation-induced apoptosis is associated with c-Jun expression and c-Jun/AP1 activation in the developing cerebellum of the rat  
*Neurosci Lett* 202: 105-108 (1995)
164. Planas AM, Ferrer I, Rodríguez-Farré E  
NMDA receptors mediate heat shock protein induction in the mouse brain following administration of the ibotenic acid analogue AMAA  
*Brain Res* 700: 289-294 (1995)
165. Soriano MA, Ferrer I, Rodríguez-Farré E, Planas AM  
Apoptosis and c-Jun in the thalamus of the rat following cortical infarction  
*NeuroReport* 7: 425-428 (1996)
166. Pellisé A, Roig C, Barraquer-Bordás LI, Ferrer I  
Abnormal, ubiquitinated cortical neurites in patients with diffuse Lewy body disease  
*Neurosci Lett* 206: 85-88 (1996)
167. Ferrer I, Blanco R, Rivera R, Carmona M, Ballabriga J, Olivé M, Planas AM  
CREB-1 and CREB-2 immunoreactivity in the rat brain  
*Brain Res* 712: 159-164 (1996)
168. Ferrer I, Olivé M, Blanco R, Cinós C, Planas AM  
Selective c-Jun overexpression is associated with ionizing radiation-induced apoptosis in the developing cerebellum of the rat  
*Mol Brain Res* 38: 91-100 (1996)
169. Barrientos A, Volpini V, Casademont J, Genís D, Manzanares JM, Ferrer I, Corral J, Cardellach F, Urbano-Márquez A, Estivill X, Nunes V  
A nuclear defect in the 4p16 region predisposes to multiple mitochondrial DNA deletions in families with Wolfram syndrome  
*J Clin Invest* 97: 1570-1576 (1996)
170. Ferrer I, Olivé M, Ribera J, Planas AM  
Naturally-occurring (programmed) and radiation-induced apoptosis are associated with selective c-Jun expression in the developing rat brain  
*Eur J Neurosci* 8: 1286-1298 (1996)
171. Alcántara S, Ferrer I, Soriano E

Transient co-localization of parvalbumin and calbindin d28k in the postnatal cerebral cortex: evidence for a phenotypic shift in developing nonpyramidal neurons  
Eur J Neurosci 8: 1329-1339 (1996)

172. Alcántara S, Soriano E, Ferrer I  
Thalamic and basal forebrain afferents modulate the development of parvalbumin and calbindin D28k immunoreactivity in the barrel cortex of the rat  
Eur J Neurosci 8: 1522-153 (1996)

173. Martín G, Seguí J, Díaz-Villoslada P, Montalbán X, Planas AM, Ferrer I  
Jun expression is found in neurons located in the vicinity of subacute plaques in patients with multiple sclerosis  
Neurosci Lett 212: 95-98 (1996)

174. Ferrer I, Alcántara S, Ballabriga J, Olivé M, Blanco R, Rivera R, Carmona M, Berruezo M, Pitarch S, Planas AM  
Transforming growth factor-alpha (TGF-alpha) and epidermal growth factor-receptor (EGF-R) immunoreactivity in normal and pathologic brain  
Ferrer I, S Alcántara, J Ballabriga, M Olivé, R Blanco, R Rivera, M Carmona, M Berruezo, S Pitarch, AM Planas  
Progr Neurobiol 49: 99-123 (1996)

175. Pumarola M, Añor S, Borrás D, Ferrer I  
Malignant epithelial schwannoma affecting the trigeminal nerve of a dog  
Vet Pathol 33: 434-436 (1996)

176. Reñé R, Ferrer I, Graus F  
Clinical and immunohistochemical comparison of in vivo injected anti-Hu and control IgG in the nervous system of the mouse  
Eur J Neurol 3: 319-323 (1996)

177. Ferrer I, Seguí J, Olivé M  
Strong c-Jun immunoreactivity is associated with apoptotic cell death in human tumors of the central nervous system  
Neurosci Lett 214: 49-52 (1996)

178. Berciano J, JFerrer I  
Glial and neuronal cytoplasmic inclusions in familial olivopontocerebellar atrophy  
Ann Neurol 40: 819 (1996)

179. Ferrer I, Seguí J, Planas AM  
Amyloid deposition is associated with c-Jun expression in Alzheimer's disease and amyloid angiopathy  
Neuropathol Appl Neurobiol 22: 521-526 (1996)

180. Ferrer I  
Cell death in the normal developing brain, and following ionizing radiation, methylazoxymethanol acetate, and hypoxia-ischaemia in the rat  
Neuropathol Appl Neurobiol 22:489-494 (1996)

181. Pol O, LValle LI, Ferrer I, Puig M  
The inhibitory effect of alpha2-adrenoceptor agonists on gastrointestinal transit during croton oil-induced intestinal inflammation  
Br J Pharmacol 119: 1649-1655 (1996)

182. Planas AM, Soriano MA, Berruezo M, Justicia C, Estrada A, Pitarch S, Ferrer I  
Induction of Stat3, a signal transducer and transcription factor, in reactive microglia following transient focal cerebral ischemia  
Eur J Neurosci 8: 2612-2618 (1996)

183. Ferrer I, Pozas E, Martí M, Blanco R, Planas AM  
Methylazoxymethanol acetate-induced apoptosis in the external granule cell layer of the developing cerebellum of the rat is associated with strong c-Jun expression and formation of high molecular weight c-Jun complexes  
*J Neuropathol Exp Neurol* 56: 1-9 (1997)
184. M Pumarola, Añor S, Majó N, Borrás D, Ferrer I  
Spinal muscular atrophy in Holstein-Friesian calves  
*Acta Neuropathol.* 93: 178-183 (1997)
185. Soriano MA, Sanz O, Ferrer I, Planas AM  
Cortical infarct volume is dependent on the ischemic reduction of perifocal cerebral blood flow in a three-vessel intraluminal MCA occlusion/reperfusion rat model  
*Brain Res* 747: 273-278 (1997)
186. Ferrer I, Pozas E, Planas AM  
Ubiquitination of apoptotic cells in the developing cerebellum of the rat following ionizing radiation or methylazoxymethanol injection  
*Acta Neuropathol* 93: 402-407 (1997)
187. Genís D, Dávalos A, Molins A, Ferrer I  
Wolfram syndrome: a neuropathological study  
*Acta Neuropathol* 93: 426-429 (1997)
188. Graus F, Dalmau J, Vallderiola F, Ferrer I, Reñé R, Marín C, Vecht ChJ, Arbizu T, Targa C, Moll JWB  
Immunohistochemical characterization of a neuronal antibody (anti-Tr) associated with paraneoplastic cerebellar degeneration and Hodgkin's disease  
*J Neuroimmunol* 74: 55-61 (1997)
189. Ballabriga J, Pellisé A, Ferrer I  
L-Deprenyl does not reduce brain damage in global forebrain ischemia in adult gerbils (*Meriones unguiculatus*)  
*J Neurol Sci* 148: 1-5 (1997)
190. Ballabriga J, Pozas E, Planas AM, Ferrer I  
bFGF and FGFR-3 immunoreactivity in the rat brain following systemic kainic acid administration at convulsant doses: localization of bFGF and FGFR-3 in reactive astrocytes, and FGFR-3 in reactive microglia  
*Brain Res* 752: 315-318 (1997)
191. Planas AM, Justicia C, Ferrer I  
Stat1 in developing and adult rat brain. Induction after transient focal ischemia  
*NeuroReport* 8: 1359-1362 (1997)
192. Planas AM, Berruezo M, Justicia C, Barrón S, Ferrer I  
Stat3 is present in the developing and adult rat cerebellum and participates in the formation of transcription complexes binding DNA at the sis-inducible element  
*J Neurochem* 68: 1345-1351 (1997)
193. Ferrer I, Ballabriga J, Martí E, Pozas E, Planas AM, Blasi J  
BDNF and TrkB co-localize in CA1 neurons resistant to transient forebrain ischemia in the adult gerbil  
*J Neuropathol Exp Neurol* 56: 790-797 (1997)
194. Ferrer I, Pozas E, Ballabriga J, Planas AM  
Strong c-Jun/AP-1 immunoreactivity is restricted to apoptotic cells following intracerebral ibotenic acid injection in developing rats  
*Neurosci Res* 28: 21-31 (1997)

195. Planas AM, Soriano MA, Estrada a, Sanz O, Martín F, Ferrer I  
The heat shock stress response after brain lesions: induction of 72 kda heat shock protein (cell types involved, axonal transport, transcriptional regulation) and protein synthesis inhibition  
*Progr Neurobiol* 51: 607-636 (1997)
196. Ferrer I, Planas AM, Pozas E  
Radiation-induced apoptosis in developing rats and kainic acid-induced excitotoxicity in adult rats are associated with distinctive morphological and biochemical c-Jun/AP-1 (N) expression  
*Neuroscience* 80: 449-458 (1997)
197. Ferrer I, Ballabriga J, Pozas E  
Transient forebrain ischemia in the adult gerbil is associated with a complex c-Jun response  
*NeuroReport* 8: 2483-2487 (1997)
198. Pozas E, Ballabriga J, Planas AM, Ferrer I  
Kainic acid-induced excitotoxicity is associated with a complex c-Fos and c-Jun response which does not preclude either cell death or survival  
*J Neurobiol* 33: 232-246 (1997)
199. Sanz O, Estrada A, Ferrer I, Planas AM  
Differential cellular distribution and dynamics of Hsp70, cyclooxygenase-2, and c-Fos in the rat brain after transient focal ischemia or kainic acid  
*Neuroscience* 80: 221-232 (1997)
200. Identification of necrotic cell death by the TUNEL assay in the hypoxic-ischemic neonatal brain  
de Torres C, Munell F, Ferrer I, Raventós J, Macaya A  
*Neurosci Lett* 230: 1-4 (1997)
201. Signal Transducer and Activator of Transcription 1 in Human Muscle. Implications in inflammatory miopathies  
Illa I, Galiardo E, Gimeno R, Serrano C, Ferrer I, Juarez C  
*Am. J. Pathol.* 151: 81-88 (1997)
202. Olivé M, Martínez-Matos JA, Montero J, Ferrer I  
Apoptosis is not the mechanism of cell death of muscle fibers in human muscular dystrophies and inflammatory myopathies  
*Muscle and Nerve* 20: 1328-1330 (1997)
203. Ferrer I, Pozas E, López E, Ballabriga J  
Bcl-2, Bax and Bcl-x expression following hypoxia-ischemia in the infant rat brain  
*Acta Neuropathol* 94: 583-589 (1997)
204. Olivé M, Martínez-Matos JA, Pirretas P, Povedano M, Navarro C, Ferrer I  
Expression of myogenic regulatory factors (MRFs) in human neuromuscular disorders  
*Neuropathol. Appl. Neurobiol.* 23: 475-482 (1997)
205. Majó G, Ferrer I, Marsal J, Blasi J, Aguado F  
Immunocytochemical analysis of the synaptic proteins SNAP-25 and Rab3A in human pituitary adenomas. Overexpression of SNAP-25 in the mammosomatotroph lineages  
*J Pathol* 183: 440-446 (1997)
206. Soriano MA, Justicia C, Ferrer I, Rodríguez-Farré E, Planas AM  
Striatal infarction in the rat causes a transient reduction of tyrosine hydroxylase immunoreactivity in the ipsilateral substantia nigra  
*Neurobiol Dis* 4: 376-385 (1997)
207. Tortosa A, Lopez E, Ferrer I  
Bcl-2 and Bax proteins in Lewy bodies from patients with Parkinson's disease and Diffuse Lewy body disease



Neurosci. Lett. 238: 78-80 (1997)

208. Martí E, Ferrer I, Ballabriga J, Blasi J  
Increase in SNAP-25 immunoreactivity in the mossy fibers following transient forebrain ischemia in the gerbil  
Acta Neuropathol 95: 254-260 (1998)

209. Ferrer I, Martí E  
Distribution of fibroblast growth factor receptor-1 (FGFR-1) and FGFR-3 in the hippocampus of patients with Alzheimer's disease  
Neurosci Lett 240: 139-142 (1998)

210. Ferrer I, Martí E, Tortosa A, Blasi J  
Dystrophic neurites of senile plaques are defective in proteins involved in exocytosis and neurotransmission  
J Neuropathol Exp Neurol 57: 218-225 (1998)

211. Ferrer I, Ballabriga J, Martí E, Pozas E, Alberch J, Arenas E  
BDNF up-regulates TrkB protein and prevents the death of CA1 neurons following transient forebrain ischemia  
Brain Pathol. 8: 253-261 (1998)

212. Tortosa A, López E, Ferrer I  
Bcl-2 and Bax protein expression in Alzheimer's disease  
Acta Neuropathol 95: 407-412 (1998)

213. Ferrer I, López E, Pozas E, Ballabriga J, Martí E  
Multiple neurotrophic signals converge in surviving CA1 neurons in the gerbil hippocampus following transient forebrain ischemia  
Comp Neurol 394: 416-430 (1998)

214. Aguado F, Majó G, Gómez de Aranda I, Ferrer I  
Trk neurotrophin receptor family immunoreactivity in rat and human pituitary tissues  
Neurosci Lett 243: 13-16 (1998)

215. Sáez-Torres I, Díaz-Villoslada P, Martínez-Cáceres E, Ferrer I, Montalbán X  
Gangliosides do not elicit experimental autoimmune encephalomyelitis in Lewis rats and SJL mice  
J Neuroimmunol 84: 24-29 (1998)

216. Tortosa A, Blanco R, Ferrer I  
Bcl-2 and Bax protein expression in neurofibrillary tangles in progressive supranuclear palsy  
NeuroReport 9: 1049-1052 (1998)

217. Majós C, Aguilera C, Ferrer I, López L, Pons LC  
Intraventricular ganglioglioma: case report  
Neuroradiology 40: 377-379 (1998)

218. Ferrer I, López E, Blanco R, Rivera R, Ballabriga J, Pozas E, Martí E  
Bcl-2, Bax, and Bcl-x expression in the CA1 area of the hippocampus following transient forebrain ischemia in the adult gerbil  
Exp Brain Res 121: 167-173 (1998)

219. Graus F, Humayun Gultekin S, Ferrer I, Reiriz J, Alberch J, Dalmau J  
Localization of the neuronal antigen recognized by anti-Tr antibodies from patients with paraneoplastic cerebellar degeneration and Hodgkin's disease in the rat nervous system  
Acta Neuropathol 96: 1-7 (1998)

220. Ferrer I, Martí E, López A, Tortosa

NF- $\kappa$ B immunoreactivity is observed in association with  $\beta$ A4 diffuse plaques in patients with Alzheimer's disease  
*Neuropathol Appl Neurobiol* 24: 271-277 (1998)

221. Macaya A, Munell F, de Torres C, Reventós J  
Cell death and associated c-jun induction in perinatal hypoxia-ischemia. Effect of the neuroprotective drug dexamethasone  
*Mol Brain Res* 56: 29-37 (1998)

222. Planas AM, Justicia C, Soriano MA, Ferrer I  
Epidermal growth factor receptor in proliferating reactive glia following transient focal ischemia in the rat brain  
*Glia* 23: 120-129 (1998)

223. Tate AR, Griffiths JR, Martinez-Perez I, Moreno A, IBarba I, Cabañas ME, Watson D, Alonso J, Bartumeus F, Isamat F, Ferrer I, Vila F, Ferrer E, Capdevila A, Arús C  
Towards a method for automated classification of <sup>1</sup>H MRS spectra from brain tumours  
*NMR Biomedicine* 11: 177-191 (1998)

224. Goutan E, Martí E, Ferrer I  
BDNF, and full-length and truncated TrkB expression in the hippocampus of the rat following kainic acid excitotoxic damage. Evidence of complex time-dependent and cell-specific responses  
*Mol Brain Res* 59: 154-164 (1998)

225. Aguado F, Ballabriga J, Pozas E, Ferrer I  
TrkA immunoreactivity in reactive astrocytes in human neurodegenerative diseases and colchicine-treated rats  
*Acta Neuropathol* 96: 495-501 (1998)

226. Ferrer I, Goutan E, Martí E, Arenas E  
Brain-derived neurotrophic factor does not prevent ionizing radiation-induced apoptosis in the developing rat brain  
*Neurosci Lett* 257: 85-88 (1998)

227. Pàmols T, Pineda M, Girós ML, Ferrer I, Cusi V, Chabás A, Sanmartí FX, Vanier MT, Christomanou H  
Neuronopathic juvenile glucosylceramidosis due to sap-C deficiency: clinical course, neuropathology and brain lipid composition in this Gaucher disease variant  
*Acta Neuropathol* 97: 91-97 (1999)

228. Ferrer I  
Nuclear DNA fragmentation in Creutzfeldt-Jakob disease: does a mere positive in situ nuclear end-labeling indicate apoptosis?  
*Acta Neuropathol* 97: 5-12 (1999)

229. Pumarola M, Fondevila D, Borrás D, Majó N, Ferrer I  
Neuronal vacuolation in young Rottweiler dogs  
*Acta Neuropathol* 97: 192-195 (1999)

230. López E, Pozas E, Rivera R, Ferrer I  
Bcl-2 and Bax expression following methylazoxymethanol acetate-induced apoptosis in the external granule cell layer of the developing rat cerebellum  
*Dev Brain Res* 112: 149-153 (1999)

231. Martí E, Blasi J, Gómez de Aranda I, Ribera R, Blanco R, Ferrer I  
Selective early induction of synaptosomal-associated protein (molecular weight 25,000) following systemic administration of kainate at convulsant doses in the rat  
*Neuroscience* 90: 1421-1432 (1999)

232. Martí E, Ferrer I, Blasi J  
Transient increase of synapsin-I immunoreactivity in the mossy fiber layer of the hippocampus after transient forebrain ischemia in the Mongolian gerbil  
Brain Res. 824: 153-160 (1999)
233. López E, Pozas E, Rivera R, Ferrer I  
Bcl-2, Bax and BclX expression following kainic acid administration at convulsant doses in the rat  
Neuroscience 91: 1461-1470 (1999)
234. Ferrer I, Rivera R, Blanco R, Martí E  
Expression of proteins linked to exocytosis and neurotransmission in patients with Creutzfeldt-Jakob disease  
Neurobiol Dis 6: 92-100 (1999)
235. Pozas E, Aguado F, Ferrer I  
Fra-1 immunoreactivity in the rat brain during normal postnatal development and after injury in adulthood  
Neurosci Res 33: 137-145 (1999)
236. Borrás D, Ferrer I, Pumarola M  
Aged-related changes in the brain of the dog  
Vet Pathol 36: 202-211 (1999)
237. Olivé M, Ferrer I  
Bcl-2 and Bax protein expression in human myopathies  
J Neurol Sci 164: 76-81 (1999)
238. Ferrer I  
Neurons and their dendrites in frontotemporal dementia  
Dement Geriat Cogn Dis 10 (suppl 1): 55-60 (1999)
239. Pozas E, Aguado F, Ferrer I  
Localization and expression of Jun-like immunoreactivity in apoptotic neurons induced by colchicine administration in vivo and in vitro depends on the antisera used  
Acta Neuropathol 98: 119-128 (1999)
240. Goutan E, Martí E, Ferrer I  
Expression of synaptic proteins in the developing rat cerebellum following ionizing radiation  
Int J Devl Neuroscience 17: 275-283 (1999)
241. Cutillas B, Espejo M, Gil J, Ferrer I, Ambrosio S  
Caspase inhibition protects nigral neurons against 6-OHDA-induced retrograde degeneration  
NeuroReport 10: 2605-2608 (1999)
242. Ferrer I, Marín C, Rey MJ, Ribalta T, Goutan E, Blanco R, Tolosa E, Martí E  
BDNF and Full-length and Truncated TrkB expression in Alzheimer disease. Implications in therapeutic strategies  
J Neuropathol Exp Neurol 58: 729-739 (1999)
243. Ferrer I  
Role of caspases in ionizing radiation-induced apoptosis in the developing cerebellum  
J Neurobiol 41: 549-558 (1999)
244. Ferrer I, Pozas E, Planas AM  
c-Jun/AP-1 (N) expression and apoptosis  
Neuroscience 96: 447-48 (2000)
245. Ferrer I, Marín C, Rey MJ, Ribalta T  
Brain-derived neurotrophic factor in patients with frontotemporal dementia

Neurosci Lett 279: 33-36 (2000)

246. Ferrer I, López E, Blanco R, Rivera R, Krupinski J, Martí E  
Differential c-Fos and caspase expression following kainic acid excitotoxicity  
Acta Neuropathol 99: 245-256 (2000)

247. Borrás D, Pumarola M, Ferrer I  
Neuronal nuclear DNA fragmentation in the aged canine brain: apoptosis or nuclear DNA fragility?  
Acta Neuropathol 99: 402-408 (2000)

248. Anglada M, Vidaller A, Bolao F, Ferrer I, Olivé M  
Diabetic muscular infarction  
Muscle & Nerve 23: 825-826 (2000)

249. Ferrer I, Goutan E, Marín C, Rey MJ, Ribalta T  
Brain-derived neurotrophic factor in Huntington disease  
Brain Res 866: 257-261 (2000)

250. Ferrer I, Puig B, Blanco R, Martí E  
Prion protein deposition and abnormal synaptic protein expression in the cerebellum in Creutzfeldt-Jakob disease  
Neuroscience 97: 715-726 (2000)

251. Ferrer I, Blanco R  
N-myc and c-myc expression in Alzheimer disease, Huntington disease and Parkinson disease  
Mol Brain Res 77: 270-276 (2000)

252. Cid J, Revilla M, Cervera A, Cervantes F, Muñoz E, Ferrer I, Montserrat E  
Progressive multifocal leukoencephalopathy following oral fludarabine treatment of chronic lymphocytic leukemia  
Ann Hematol 79: 392-395 (2000)

253. Krupinski J, López E, Martí E, Ferrer I  
Expression of caspases and their substrates in the rat model of focal cerebral ischemia  
Neurobiol Dis 7: 332-342 (2000)

254. Ferrer I, Blanco R, Cutillas B, Ambrosio S  
Fas and Fas-L expression in Huntington's disease and Parkinson's disease  
Neuropathol Appl Neurobiol 26: 424-433 (2000)

255. Olivé M, Ferrer I  
Bcl-2 and Bax immunohistochemistry in denervation-reinnervation and necrosis-regeneration of rat skeletal muscles  
Muscle & Nerve 23: 1862-1867 (2000)

256. López E, Ferrer I  
Staurosporine- and H-7-induced cell death in SH-SY5Y neuroblastoma cells is associated with caspase-2 and caspase-3 activation, but not with activation of the FAS/FAS-L-caspase-8 signaling pathway  
Mol Brain Res 85: 61-67 (2000)

257. Ferrer I, Blanco R, Carmona M, Puig B, Ribera R, Rey MJ, Ribalta T  
Prion protein expression in senile plaques in Alzheimer disease  
Acta Neuropathol 101: 49-56 (2001)

258. Ferrer I, Blanco R, Carmona M, Ribera R, Goutan E, Puig B, Rey MJ, Cardozo A, Viñals F, Ribalta T  
Phosphorylated MAP kinase (ERK1, ERK2) expression is associated with early tau deposition in neurones and glial cells, but not with increased nuclear DNA vulnerability and cell death, in

Alzheimer disease, Pick's disease, progressive supranuclear palsy and corticobasal degeneration  
Brain Pathol 11: 144-158 (2001)

259. Gómez C, Reiriz J, Piqué M, Gil J, Ferrer I, Ambrosio S  
Low concentrations of 1-methyl-4-phenylpyridinium ion induce caspase-mediated apoptosis in human SH-SY5Y neuroblastoma cells  
J Neurosci Res 63: 421-428 (2001)

260. Martí E, Ferrer I, Blasi J  
Differential regulation of chromogranin A, chromogranin B and secretoneurin protein expression after transient forebrain ischemia in the gerbil  
Acta Neuropathol 101:159-166 (2001)

261. Ferrer I, Krupinski J, Goutan E, Martí E, Ambrosio S, Arenas E  
Brain-derived neurotrophic factor reduces cortical cell death by ischemia after middle cerebral artery occlusion in the rat  
Acta Neuropathol 101:229-238 (2001)

262. Ferrer I, Puig B, Goutan E, Gombau L, Muñoz-Cánoves P  
Methylazoximethanol acetate-induced cell death in the granule cell layer of the developing mouse cerebellum is associated with caspase-3 activation, but does not depend on the tissue-type plasminogen activator  
Neurosci Lett 299: 77-80 (2001)

263. López-Bigas N, Olivé M, Rabionet R, Ben-David O, Martínez-Matos JA, Bravo O, Banchs I, Volpini V, Gasparini P, Avraham KB, Ferrer I, Arbonés ML, Estivill X  
Connexin 31 (GJB3) is expressed in the peripheral and auditory nerves and causes neuropathy and hearing impairment  
Hum Mol Genet 10: 947-952 (2001)

264. Ferrer I  
Facteurs neurotrophiques et maladie d'Alzheimer  
Alzheimer Actualites 157: 6-9 (2001)

265. Puig B, Tortosa A, Ferrer I  
Cleaved caspase-3, caspase-7 and poly (ADP-ribose) polymerase are complementarily but differentially expressed in human medulloblastomas  
Neurosci Lett 306: 85-88 (2001)

266. Saiz A, Nos C, Yagüe J, Domínguez A, Graus F, Muñoz P, Catalan Collaborative Study group for CJD (pathologists: Ferrer I, Ortega A, Rey MJ, Ribalta T)  
The impact of the introduction of the 14-3-3 protein assay in the surveillance of sporadic Creutzfeldt-Jakob disease in Catalonia.  
J Neurol 248:592-594 (2001)

267. Ferrer I, Puig B, Krupinski J, Carmona M, Blanco R  
Fas and Fas ligand expression in Alzheimer's disease.  
Acta Neuropathol 102: 121-131 (2001)

268. Puig B, Ferrer I  
Cell death signaling in the cerebellum in Creutzfeldt-Jakob disease.  
Acta Neuropathol 102: 207-215 (2001)

269. Sastre-Garriga J, Tintoré M, Montalbán X, Bagó J, Ferrer I  
Response to botulinum toxin in a case of rigid spine syndrome.  
J Neurol Neurosurg Psychiatr 71: 564-565 (2001)

270. Ferrer I, Blanco R, Carmona M, Puig B

Phosphorylated c-Myc expression in Alzheimer disease, Pick disease, progressive supranuclear palsy and corticobasal degeneration.  
Neuropathol Appl Neurobiol 27: 343-351 (2001)

271. Ferrer I, Blanco R, Carmona M  
Differential expression of active, phosphorylation-dependent MAP kinases, MAPK/ERK, SAPK/JNK and p38, and specific transcription factor substrates following quinolinic acid excitotoxicity in the rat.  
Mol Brain Res 94: 48-58 (2001)

272. Sisó S, Ferrer I, Pumarola M  
Juvenile neuroaxonal dystrophy in a Rottweiler: accumulation of synaptic proteins in dystrophic axons.  
Acta Neuropathol 102: 501-504 (2001)

273. Ferrer I, Blanco R, Carmona M, Puig B, Barrachina M, Gómez C, Ambrosio S  
Active, phosphorylation-dependent mitogen-activated protein kinase (MAPK/ERK), stress-activated protein kinase/c-Jun N-terminal kinase (SAPK/JNK), and p38 kinase expression in Parkinson's disease and Dementia with Lewy bodies.  
J Neural Transm 108: 1383-1396 (2001)

274. Ferrer I, Blanco R, Carmona M, Puig B  
Phosphorylated mitogen-activated protein kinase (MAPK/ERK-P), protein kinase of 38 kDa (p38-P), stress-activated protein kinase (SAPK/JNK-P), and calcium/calmodulin-dependent kinase II (CaM kinase II) are differentially expressed in tau deposits in neurons and glial cells in tauopathies.  
J Neural Transm 108: 1397-1415 (2001)

275. Queralt R, Ezquerro M, Lleó A, Castellví M, Gelpí J, Ferrer I, Acarín N, Pasarín L, Blesa R, Oliva R  
A novel mutation (V89L) in the presenilin 1 gene in a family with early onset Alzheimer's disease and marked behavioral disturbances.  
J Neurol Neurosurg Psychiatr 72: 266-269 (2002)

276. Ferrer I, Blanco R, Carmona M, Puig B, Domínguez I, Viñals F  
Active, phosphorylation-dependent MAP kinases, MAPK/ERK, SAPK/JNK and p38, and specific transcription factor substrates are differentially expressed following systemic administration of kainic acid to the adult rat.  
Acta Neuropathol 103: 391-407 (2002)

278. Puig B, Ferrer I  
Caspase-3-associated apoptotic cell death in excitotoxic necrosis of the entorhinal cortex following intraperitoneal injection of kainic acid in the rat.  
Neurosci Lett 321: 182-186 (2002)

279. Ferrer I, Lizcano JM, Hernández M, Unzeta M  
Overexpression of semicarbazide sensitive amine oxidase in the cerebral blood vessels in patients with Alzheimer's disease and cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy.  
Neurosci Lett 321: 21-24 (2002)

280. Gómez-Santos C, Ferrer I, Reiriz J, Viñals F, Barrachina M, Ambrosio S  
MPP+ increases alpha-synuclein expression and ERK/MAP-kinase phosphorylation in human neuroblastoma SH-SY5Y cells.  
Brain Res 935: 32-39 (2002)

281. Martí E, Blasi J, Ferrer I  
Early induction of secretoneurin expression following kainic acid administration at convulsant doses in the rat and gerbil hippocampus.  
Hippocampus 12: 174-185 (2002)

282. Soler-Botija C, Ferrer I, Gich I, Baiget M, Tizzano E  
Neuronal death is enhanced and begins during foetal development in type I spinal muscular atrophy.  
Brain 125: 1624-1634 (2002)
283. Siso S, Puig B, Varea R, Vidal E, Acín C, Prinz M, Montrasio F, Badiola J, Aguzzi A, Pumarola M, Ferrer I  
Abnormal synaptic protein expression and cell death in murine scrapie.  
Acta Neuropathol 103: 615-626 (2002)
284. Krupinski J, Ferrer I, Barrachina M, Secades JJ, Mercadal J, Lozano R  
CDP-choline reduces pro-caspase and cleaved caspase-3 expression, nuclear DNA fragmentation, and specific PARP-cleaved products of caspase activation following middle cerebral artery occlusion in the rat.  
Neuropharmacology 42: 846-854 (2002)
285. Ferrer I  
Synaptic pathology and cell death in the cerebellum in Creutzfeldt-Jakob disease.  
The Cerebellum 1: 213-222 (2002)
286. Muñoz E, Rey MJ, Mila M, Cardozo A, Ribalta T, Tolosa E, Ferrer I  
Intranuclear inclusions, neuronal loss and CAG mosaicism in two patients with Machado-Joseph disease.  
J Neurol Sci 200: 19-25 (2002)
287. Berciano J, Valderiola F, Ferrer I, Rumiá J, Pascual J, Marín C, Rey MJ, Tolosa E  
Presynaptic parkinsonism in multiple system atrophy mimicking Parkinson's disease: a clinicopathological study.  
Mov Dis 17: 812-816 (2002)
288. Ferrer I, Barrachina M, Puig B  
Glycogen synthase kinase-3 is associated with neuronal and glial hyperphosphorylated tau deposits in Alzheimer's disease, Pick's disease, progressive supranuclear palsy and corticobasal degeneration.  
Acta Neuropathol 104: 583-591 (2002)
289. Ferrer I, Barrachina M, Puig B  
Anti-tau phospho-specific Ser262 antibody recognizes a variety of abnormal hyperphosphorylated tau deposits in taupathies including Pick bodies and argyrophilic grains.  
Acta Neuropathol 104: 658-664 (2002)
290. Barrachina M, Secades J, Lozano R, Gómez-Santos C, Ambrosio S, Ferrer I  
Citicoline increases glutathione redox ratio and reduces caspase-3 activation and cell death in staurosporine-treated SH-SY5Y human neuroblastoma cells.  
Brain Res 957: 84-90 (2002)
291. Ferrer I  
Differential expression of phosphorylated translation initiation factor 2 alpha in Alzheimer's disease and Creutzfeldt-Jakob's disease.  
Ferrer I  
Neuropathol Appl Neurobiol 28: 441-451 (2002)
292. Murphy M, Loosemore A, Ferrer I, Wesseling P, Wilkins PR, Bell B  
Neuropathological diagnostic accuracy.  
Br J Neurosurg 16: 461-464 (2002)
293. Gómez-Santos C, Ambrosio S, Ventura F, Ferrer I, Reiriz J  
TGF-beta1 increases tyrosine hydroxylase expression by a mechanism blocked by BMP-2 in human neuroblastoma SH-SY5Y cells.

Brain Res 958: 152-160 (2002)

294. Tortosa A, Vinolas N, Villa S, Verger E, Gil JM, Brell M, Caral L, Pujol T, Acebes JJ, Ribalta T, Ferrer I, Graus F  
Prognostic implication of clinical, radiologic, and pathologic features in patients with anaplastic gliomas.

Cancer 97: 1063-1071 (2003)

295. Martí E, Altafaj X, Dierssen M, de la Luna S, Fotaki V, Alvarez M, Perez-Riba M, Ferrer I, Estivill X

Dyrk1A expression pattern supports specific roles of this kinase in the adult central nervous system.

Brain Res 964: 250-263 (2003)

296. Ferrer I, Pastor P, Rey MJ, Muñoz E, Puig B, Pastor E, Oliva R, Tolosa E.

Tau phosphorylation and kinase activation in familial tauopathy linked to delN296 mutation.

Neuropathol Appl Neurobiol 29: 23-34 (2003)

297. Ferrer I, Barrachina M, Tolnay M, Rey MJ, Vidal N, Carmona M, Blanco R, Puig B

Phosphorylated protein kinases associated with neuronal and glial tau deposits in argyrophilic grain disease.

Brain Pathol 13: 62-78 (2003)

298. Sisó S, Pumarola M, Ferrer I

Cell death and synaptic protein expression in the ventral horn of Holstein-Friesian calves with spinal muscular atrophy.

J Comp Path 128: 132-139 (2003)

299. Ferrer I, Friguls B, Dalfó E, Planas AM

Early modifications in the expression of mitogen-activated protein kinase (MAPK/ERK), stress-activated kinases SAPK/JNK and p38, and their phosphorylated substrates following focal cerebral ischemia.

Acta Neuropathol 105: 425-437 (2003)

300. Ferrer I, Planas AM

Signaling of cell death and cell survival following focal cerebral ischemia: Life and death struggle in the penumbra.

J Neuropathol Exp Neurol 62: 329-339 (2003)

301. Soler-Botija C, Ferrer I, Alvarez JL, Baiget M, Tizzano EF

Downregulation of Bcl-2 proteins in type I Spinal Muscular Atrophy motor neurons during fetal development.

J Neuropathol Exp Neurol 62:420-426 (2003)

302. Roig M, Gratacós M, Vazquez E, del Toro M, Foguet A, Ferrer I, Macaya A

Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple cranial nerve involvement, and ocular motor apraxia.

Develop Med Child Neurol 45: 489-493 (2003)

303. Gómez-Santos C, Ferrer I, Santidrián AF, Barrachina M, Gil J, Ambrosio S

Dopamine induces autophagic cell death and alpha-synuclein increase in human neuroblastoma SH-SY5Y cells.

J Neurosci Res 73: 341-350 (2003)

304. Olivé M, Goldfarb L, Dagvadorj A, Sambuughin N, Paulin D, Li Z, Goudeau B, Vicart P, Ferrer I

Expression of the intermediate filament protein synemin in myofibrillar myopathies and other muscle diseases.

Acta Neuropathol 1906: 1-7 (2003)



305. Sisó S, Lorenzo V, Ferrer I, Villagrassa M, Pumarola M  
An anaplastic astrocytoma (optic chiasmatic-hypothalamic glioma) in a dog.  
*Vet Pathol* 40: 567-569 (2003)
306. Ferrer I, Friguls B, Dalfo E, Justicia C, Planas A  
Caspase-dependent and caspase-independent signalling of apoptosis in the penumbra following middle cerebral artery occlusion in the adult rat.  
*Neuropathol Appl Neurobiol* 29: 472-481 (2003)
307. Ferrer I, Puig B  
GluR2/3, NMDA1 and GABAA receptors in Creutzfeldt-Jakob disease.  
*Acta Neuropathol* 106: 311-318 (2003)
308. Sisó S, Ferrer I, Pumarola M  
Abnormal synaptic protein expression in two Arabian horses with equine degenerative myeloencephalopathy  
*Vet J* 166: 238-243 (2003)
309. Ferrer I, Hernández I, Boada M, Llorente A, Rey MJ, Cardozo A, Ezquerro M, Puig B  
Primary progressive aphasia as the initial manifestation of corticobasal degeneration and unusual tauopathies  
*Acta Neuropathol* 106: 419-435 (2003)
310. Barrachina M, Dominguez I, Ambrosio S, Secades J, Lozano R, Ferrer I  
Neuroprotective effect of citicoline in 6-hydroxydopamine-lesioned rats and in 6-hydroxydopamine-treated SH-SY5Y human neuroblastoma cells  
*J Neurol Sci* 215: 105-110 (2003)
311. Diaz-Hernandez M, Hernandez F, Martin-Aparicio E, Gomez-Ramos P, Moran MA, Castaño JG, Ferrer I, Avila J, Lucas JJ  
Neuronal induction of the immunoproteasome in Huntington's disease.  
*J Neurosci* 23: 11653-11661 (2003)
312. Angulo E, Casado V, Mallol J, Canela EI, Viñals F, Ferrer I, Lluisa C, Franco R.  
A1 adenosine receptors accumulate in neurodegenerative structures in Alzheimer's disease and mediate both amyloid precursor protein processing and tau phosphorylation and translocation.  
*Brain Pathol* 13: 4440-451 (2003)
313. Ferrer I, Hernandez I, Puig B, Rey MJ, Ezquerro M, Tolosa E, Boada M  
Ubiquitin-negative mini-pick like bodies in the dentate gyrus of p301 tauopathy.  
*J Alzheimers Dis* 5: 45-454 (2003)
314. Olive M, Unzeta M, Moreno D, Ferrer I  
Overexpression of semicarbazide-sensitive amine oxidase in human myopathies  
*Muscle and Nerve* 29: 261-266 (2004)
315. Ferrer I, Boada Rovira M, Sanchez Guerra M, Rey MJ, Costa-Jussa F  
Neuropathology and pathogenesis of encephalitis following amyloid- $\beta$  immunization in Alzheimer's disease  
*Brain Pathol* 14: 11-20 (2004)
316. Kaminska A, Strelkov SV, Goudeau B, Olive M, Dagvadorj A, Fidzianska A, Simon-Costeras M, Shatunov A, Dalakas MC, Ferrer I, Kwiecinski H, Vicart P, Goldfarb LG  
Small deletions disturb desmin architecture leading to breakdown of muscle cells and development of skeletal or cardioskeletal myopathy  
*Hum Genet* 114: 306-313 (2004)
317. Dagvadorj A, Olive M, Utizberea JA, Halle M, Shatunov A, Bönnemann C, Park KY, Goebel H, Ferrer I, Vicart P, Dalakas MC, Goldfarb LG

A series of West European patients with severe cardiac and skeletal myopathy associated with a de novo R406W mutation.  
J Neurol 251: 143-149 (2004)

318. Puig B, Viñals F, Ferrer I  
Active stress kinase p38 enhances and perpetuates abnormal tau phosphorylation and deposition in Pick's disease.  
Acta Neuropathol 107: 185-189 (2004)

319. Olivé M, Goldfarb L, Moreno D, Laforet E, Dagvadorj A, Sambuughin N, Martinez-Matos JA, Martinez F, Alio J, Farrero E, Vicart P, Ferrer I  
Desmin-related myopathy: clinical, electrophysiological, radiological, neuropathological and genetic studies.  
J Neurol Sci 219: 125-137 (2004)

320. Alias L, Galiano P, Moreno D, Pujol R, Martínez-Matos JA, Baiget M, Ferret I, Olivé M  
A novel mutation in the caveolin-3 gene causing familial isolated hyperkalemia.  
Neuromuscular Dis 14: 321-324 (2004)

321. Dalfo E, Gómez-Isla T, Rosa JL, Nieto Bodelón M, Cuadrado Tejedor M, Barrachina M, Ambrosio S, Ferrer I  
Abnormal alpha-synuclein interactions with Rab proteins in alpha-synuclein A30P transgenic mice.  
J Neuropathol Exp Neurol 63: 302-313 (2004)

322. Ferrer I, Matín B, Castaño JG, Lucas JJ, Moreno D, Olivé M  
Proteasomal expression, induction of immunoproteasome subunits, and local MHC class I presentation in myofibrillar myopathy and inclusion body myositis.  
J Neuropathol Exp Neurol 63: 484-498 (2004)

323. Dalfo E, Barrachina M, Rosa JL, Ambrosio S, Ferrer I  
Abnormal alpha-synuclein interactions with rab3a and rabphilin in diffuse Lewy body disease.  
Neurobiol Dis 16: 92-97 (2004)

324. Vidal E, Montoliu P, Añor S, Sisó S, Ferrer I, Pumarola M  
A novel spongiform degeneration of the grey matter in the brain of a kitten.  
J Comp Pathol 131: 98-103 (2004)

325. Muñoz E, Campdelacreu J, Ferrer I, Rey MJ, Cardozo A, Gómez B, Tolosa E  
Severe cerebral white matter involvement in a case of dentatorubropallidoluysian atrophy studied at autopsy.  
Arch Neurol 61: 946-949 (2004)

326. Ferrer I, Freixas M, Blanco R, Carmona M, Puig B  
Selective PrP-like protein, doppel immunoreactivity in dystrophic neurites of senile plaques in Alzheimer's disease.  
Neuropathol Appl Neurobiol 30: 329-337 (2004)

327. Valente T, Dominguez MI, Bellmann A, Journot L, Ferrer I, Auladell C  
Zac1 is up-regulated in neural cells of the limbic system of mouse brain following seizures that provoke strong cell activation.  
Neuroscience 128: 323-336 (2004)

328. Rojas-Marcos I, Encarnación M, Martínez-Yelamos S, Ferrer, Arbizu T, Gil-Peralta A, García-Lozano JR  
Cadasil. Gene symbol: Notch3 Accession number Hm040053; codon number 108; nucleotide substitution TGC-TGG; amino acid substitution Cys-Trp  
Human Genet 115: 175 (2004)

329. Dalfo E, Albasanz JL, Martín M, Ferrer I

Abnormal metabotropic glutamate receptor expression and signaling in the cerebral cortex in Diffuse Lewy body disease is associated with irregular alpha-synuclein/phospholipase C interactions

Brain Pathol 14: 388-398 (2004)

330. Puig B, Gómez-Isla T, Ribé E, Cuadrado M, Torrejón-Escribano B, Dalfó E, Ferrer I  
Expression of stress-activated kinase c-Jun N-terminal kinase (SAPK/JNK-P) and p38 (p38-P), and tau hyperphosphorylation in neurites surrounding  $\beta$ A plaques in APP Tg2576 mice.

Neuropathol Appl Neurobiol 30: 491-502 (2004)

331. Armstrong J, Boada M, Rey MJ, Vidal N, Ferrer I

Familial Alzheimer disease associated with A713T mutation in APP

Neurosci Lett 370: 241-243 (2004)

332. Buesa C, Maes T, Subirada F, Barrachina M, Ferrer I

DNA chip technology in brain banks: confronting a degrading world

J Neuropathol Exp Neurol 63: 1003-1014 (2004)

333. Diaz-Hernandez M, Moreno-Herrero F, Gómez-ramos P, Morán MA, Ferrer I, Baró AM, Avila J, Hernández F, Lucas JJ

Biochemical, ultrastructural, and reversibility studies on Huntingtin filaments isolated from mouse and human brain

J Neurosci 24: 9361-9371 (2004)

334. Freixes M, Puig B, Rodriguez A, Torrejón-Escribano B, Blanco R, Ferrer I

Clusterin solubility and aggregation in Creutzfeldt-Jakob disease

Acta Neuropathol 108: 295-301 (2004)

335. Beyer K, Lao JI, Carrato C, Mate JL, López D, Ferrer I, Ariza A

Upregulation of amyloid precursor protein isoforms containing Kunitz protease inhibitor in dementia with Lewy bodies.

Mol Brain Res 131: 131-135 (2004)

336. Beyer K, Lao JL, Carrato C, Mate JL, López D, Ferrer I, Ariza A

Differential expression of alpha-synuclein isoforms in dementia with Lewy bodies.

Neuropathol Appl Neurobiol 30: 601-607 (2004)

337. Angulo E, Noe V, Casado V, Mallol J, Gómez-Isla T, Lluís C, Ferrer I, Ciudad CJ, Franco F

Up-regulation of the Kv3.4 potassium channel subunit in early stages of Alzheimer's disease.

J Neurochem 91: 547-557 (2004)

338. Pujol A, Ferrer I, Camps C, Metzger E, Hindelang C, Callizot N, Ruiz M, Pàmols T, Giròs M, Mandel JL

Functional overlap between ABCD1 (ALD) and ABCD2 (ALDR) transporters: a therapeutic target for X-adrenoleukodystrophy.

Hum Mol Genet 13: 2997-3006 (2004)

339. Baltrons MA, Pifarre P, Ferrer I, Carot JM, García A

Reduced expression of NO-sensitive guanylyl cyclase in reactive astrocytes of Alzheimer disease, Creutzfeldt-Jakob disease, and multiple sclerosis brain.

Neurobiol Dis 17: 462-472 (2004)

340. Martín-Clemente B, Alvarez-Castelao B, Mayo I, Sierra AB, Díaz V, Milán M, Fariñas I, Gómez-Isla T, Ferrer I, Castaño JG

Alpha-synuclein expression levels do not significantly affect proteasome function and expression in mice and stably transfected PC12 cell lines.

J Biol Chem 279: 52984-52990 (2004)

341. Ferrer I

Stress kinases involved in tau phosphorylation in Alzheimer's disease, tauopathies and APP transgenic mice.

Neurotoxicity Res 6: 469-475 (2004)

342. Gómez-Santos C, Barrachina M, Gimenez-Xavier P, Dalfo E, Ferrer I, Ambrosio S  
Induction of C/EBP $\beta$  and GADD153 expression by dopamine in human neuroblastoma cells.  
Relationship with synuclein increase and cell damage.

Brain Res Bull 65: 87-95 (2005)

343. Barrachina M, Dalfo E, Puig B, Vidal N, Freixes M, Castaño E, Ferrer I  
Amyloid deposition in the cerebral cortex in dementia with Lewy bodies is accompanied by a relative increase in APP mRNA isoforms containing the Kunitz protease inhibitor.

Neurochem Int 46: 253-260 (2005)

344. Ferrer I, Gomez-Isla T, Puig B, Freixes M, Ribe E, Dalfo E, Avila J  
Current advances on different kinases involved in tau phosphorylation, and implications in Alzheimer's disease and tauopathies

Curr Alzheimer Res 2: 3-18 (2005)

345. Perez M, Ribe E, Rubio A, Lim F, Moran MA, Gomez-Ramos P, Ferrer I, G. Isla T, Avila J  
Characterization of a double (amyloid precursor protein-tau) transgenic: tau phosphorylation and aggregation

Neuroscience 130: 339-347 (2005)

346. Pedraza CE, Podlesniy P, Vidal N, Arévalo JC, Lee R, Hempstead B, Ferrer I, Iglesias M, Espinet C

Pro-NGF isolated from the human brain affected by Alzheimer's disease induces neuronal apoptosis mediated by p75NTR

Am J Pathol 166: 533-543 (2005)

347. Soler-Botija C, Cuscó I, López E, Clua A, Gich I, Baiget M, Ferrer I, Tizzano E  
Choline acetyltransferase expression does not identify early pathogenetic events in fetal SMA spinal cord

Neuromusc Dis 15: 253-258 (2005)

348. Rodríguez A, Freixes M, Dalfo E, Martín M, Puig B, Ferrer I  
Metabotropic glutamate receptor/phospholipase C pathway: a vulnerable target to Creutzfeldt Jacob disease in the cerebral cortex.

Neuroscience 131: 825-832 (2005)

349. Ferrer I, M Carmona, R Blanco, D Moreno, B Torrejón-Escribano, M Olivé  
Involvement of clusterin and the aggresome in abnormal protein deposits in myofibrillar myopathies and inclusion body myositis.

Brain Pathol 15: 101-108 (2005)

350. Berciano J, Ferrer I  
Glial cell cytoplasmic inclusions in SCA2 do not express  $\alpha$ -synuclein  
J Neurol (on line: 18 April 2005)

351. Dalfo E, Ferrer I  
Alpha-synuclein binding to rab-3a in multiple system atrophy.  
Neurosci Lett 380: 170-175 (2005)

352. Zarranz JJ, Ferrer I, Lezcano E, Forcadas MI, Eizaguirre B, Ateas B, Puig B, Gomez-Esteban JG, Fernandez-Maiztegui C, Rouco I, Perez-Concha T, Fernandez M, Rodriguez O, Rodriguez-Martinez AB, Martinez de Pancorbo M, Pastor P, Perez-Tur J  
A novel mutation (K317M) in the MAPT gene causes FTDP and motor neuron disease.  
Neurology 64: 1578-1585 (2005)

353. Armstrong J, Bonaventura I, Rojo A, Gonzalez G, Corral J, Nadal N, Volpini V, Ferrer I

Spinocerebellar ataxia type 2 (SCA2) with white matter involvement.  
Neurosci Lett 381: 247-251 (2005)

354. Pamplona R, Dalfó E, Ayala V, Bellmunt J, Prat J, Ferrer I, Portero M  
Proteins in human brain cortex are modified by oxidation, glycooxidation, and lipoxidation. Effects of Alzheimer disease and identification of lipoxidation targets.  
J Biol. Chem 280: 21522-21530 (2005)

355. Puig B, Ferrer I, Ludueña RF, Avila J  
Betall-tubulin and phospho-tau aggregates in Alzheimer's disease and Pick's disease.  
J Alzheimer's Dis 7: 213-220 (2005)

356. Brell M, Tortosa A, Verger E, Gil JM, Vinolas N, Villa S, Acebes JJ, Caral L, Pujol T, Ferrer I, Ribalta T, Graus F  
Prognostic significance of O6-methylguanine-DNA methyltransferase determined by promoter hypermethylation and immunohistochemical expression in anaplastic gliomas.  
Clin Cancer Res 11: 5167-5174 (2005)

357. Dalfó E, Albasanz JL, Rodríguez A, Martín M, Ferrer I  
Abnormal group I metabotropic glutamate receptor expression and signaling in the frontal cortex in Pick disease.  
J Neuropathol Exp Neurol 64: 638-647 (2005)

358. Scaravilli T, Tolosa E, Ferrer I  
Progressive supranuclear palsy and corticobasal degeneration: lumping versus splitting.  
Mov Disor 20; suppl 12: S21-S28 (2005)

359. Pumarola M, Vidal E, Trens JM, Serafín A, Marquez M, Ferrer I  
Neuronal intranuclear inclusion disease in a horse  
Acta Neuropathol 110: 191-195 (2005)

360. Dalfó E, Portero-Otín M, Ayala V, Martínez A, Pamplona R, Ferrer I  
Evidence of oxidative stress in the neocortex in incidental Lewy body disease.  
J Neuropathol Exp Neurol 64: 816-830 (2005)

361. Olive M, Goldfarb LG, Shatunov A, Fischer D, Ferrer I  
Myotilinopathy: refining the clinical and myopathological phenotype  
Brain 128: 2315-2326 (2005)

362. Ferrer I, Barrachina M, Puig B, Martínez de Lagrán M, Martí E, Avila J, Dierssen M  
Constitutive Dyrk1A is abnormally expressed in Alzheimer disease, Down syndrome, Pick disease, and related transgenic models.  
Neurobiol Dis 20: 392-400 (2005)

363. Puig B, Rey MJ, Ferrer I  
Individual and regional variations of phospho-tau species in progressive supranuclear palsy.  
Acta Neuropathol 110: 261-268 (2005)

364. Albasanz JL, Dalfó E, Ferrer I, Martín M  
Impaired metabotropic glutamate receptor/phospholipase C signaling pathway in the cerebral cortex in Alzheimer's disease and dementia with Lewy bodies correlates with stage of Alzheimer's-disease-related changes.  
Neurobiol Dis 20: 685-693 (2005)

365. Ribe EM, Perez M, Puig B, Gich I, Lim F, Cuadrado M, Sesma T, Catena S, Sanchez B, Nieto M, Gómez-Ramos P, Moran MA, Cabodevilla F, Samaranch L, Ortiz L, Perez A, Ferrer I, Avila J, Gómez-Isla T  
Accelerated amyloid deposition, neurofibrillary degeneration and neuronal loss in double mutant APP/tau transgenic mice.  
Neurobiol Dis 20: 814-822 (2005)

366. Ferrer I, Kapfhammer JP, Hindelang C, Kempt S, Troffer-Charlier N, Broccoli V, Callyzot N, Mooyer P, Selhorst J, Vreken P, Wanders RJA, Mandel JL, Pujol A  
Inactivation of the peroxisomal ABCD2 transporter in the mouse leads to late-onset ataxia involving mitochondria, Golgi and endoplasmic reticulum damage.  
Hum Mol Genet 14: 3565-3577 (2005)
367. Quintana C, Bellefqih S, Laval JY, Guerquin-Kern JL, Wu TD, Avila J, Ferrer I, Arranz R, Patiño C  
Study of the localization of iron, ferritin, and hemosiderin in Alzheimer's disease hippocampus by analytical microscopy at the subcellular level.  
J Struct Biology 153: 42-54 (2006)
368. Santpere G, Nieto M, Puig B, Ferrer I  
Abnormal SP1 transcription factor expression in Alzheimer disease and tauopathies.  
Neurosci Lett 397: 30-34 (2006)
369. Santpere G, Puig B, Ferrer I  
Low molecular weight species of tau in Alzheimer's disease are dependent on tau phosphorylation sites but not on delayed post-mortem delay in tissue processing  
Neurosci Lett 399: 106-110 (2006)
370. Nieto Bodelon M, Santpere G, Torrejón-Escribano G, Puig B, Ferrer I  
Expression of transcription factors c-Fos, c-Jun, CREB-1, and ATF-2, and caspase-3 in relation with abnormal tau deposits in Pick's disease.  
Acta Neuropathol 111: 341-350 (2006)
371. Ferrer I  
Apoptosis: Future targets for neuroprotective strategies.  
Cerebrovasc Dis 21 (Suppl 2): 9-20 (2006)
372. Nieto M, Gil-Bea J, Dalfó E, Cuadrado M, Cabodevilla F, Sánchez B, Catena S, Sesma T, Ribe E, Ferrer I, Ramirez MJ, Gomez-Isla T  
Increased sensitivity to MPTP in human alpha-synuclein A30P transgenic mice.  
Neurobiol Aging 27: 848-856 (2006)
373. Rojo A, Campos Y, Sánchez JM, Bonaventura I, Aguilar M, Garcia A, Gonzalez L, Rey MJ, Arenas J, Olive M, Ferrer I  
NARP-MILS syndrome caused by 8993T G mitochondrial DNA mutation: a clinical, genetic and neuropathological study.  
Acta Neuropathol 111: 610-616 (2006)
374. Barrachina M, Castaño E, Dalfó E, Maes T, Buesa C, Ferrer I  
Reduced Ubiquitin C-terminal hydrolase-1 expression levels in dementia with Lewy bodies.  
Neurobiol Dis 22: 265-273 (2006)
375. Dalfó E, Martinez A, Muntane G, Ferrer I  
Abnormal alpha-synuclein solubility, aggregation and nitration in the frontal cortex in Pick's disease.  
Neurosci Lett 400: 125-129 (2006)
376. Gil V, Nicolas O, Mingorance A, Ureña JM, Lueng Tang B, Hirata T, Sáez-valero J, Ferrer I, Soriano E, del Rio JA  
Nogo-A expression in the human hippocampus in normal aging and in Alzheimer disease.  
J Neuropathol Exp Neurol 65: 433-444 (2006)
377. Fischer D, Clemen CS, Olive M, Ferrer I, Goudeau B, Roth U, Badorf P, Wattjes MP, Lutterbey G, Kral T, van der Ven PF, Furst DO, Vicart P, Goldfarb LG, Moza M, Carpen O, Reichelt J, Shroder R  
Different early pathogenesis in myotilinopathy compared to primary desminopathy.

Neuromusc Disord 16: 361-367 (2006)

378. Podlesniy P, Kichev A, Pedraza C, Saurat J, Encinas M, Perez B, Ferrer I, Espinet C  
Pro-NGF from Alzheimer's disease and normal human brain displays distinctive abilities to induce processing and nuclear translocation of intracellular domain of p75NTR and apoptosis.  
Am J Pathol 169: 119-131 (2006)

379. Barrachina M, Castaño E, Ferrer I  
TaqMan PCR assay in the control of RNA normalization in human post-mortem brain tissue.  
Neurochem Int 49: 276-284 (2006)

380. Pugliese M, Marcort J, Mahy N, Ferrer I  
Diffuse beta-amyloid plaques and hyperphosphorylated tau are unrelated processes in aged dogs with behavioral deficits.  
Acta Neuropathol 112: 175-183 (2006)

381. Alafuzoff I, Pikkarainen M, Al-Sarraj S, Arzberger T, Bell J, Bodi I, Bogdanovic N, Budka H, Bugiani O, Ferrer I, Gelpi E, Giaccone G, Graeber MB, Hauw JJ, Kamphorst W, King A, Kopp N, Korkolopoulou P, Kovacs GG, Meyronet D, Parchi P, Patsouris E, Preusser M, Ravid R, Roggendorf W, Seilhean D, Streichenberger N, Thal DR, Kretschmar H  
Interlaboratory Comparison of Assessments of Alzheimer Disease-Related Lesions: A Study of the BrainNet Europe Consortium.  
J Neuropathol Exp Neurol 65:740-757 (2006)

382. Patton RL, Kalback WM, Esh CL, Kokjohn TA, Van Vickle GD, Luehrs DC, Kuo YM, Lopez J, Brune D, Ferrer I, Masliah E, Newel AJ, Beach TG, Castano EM, Roher AE.  
Amyloid-beta Peptide Remnants in AN-1792-Immunized Alzheimer's Disease Patients: A Biochemical Analysis  
Am J Pathol 169: 1048-1063 (2006)

383. Gomez-Santos C, Gimenez-Xavier P, Ferrer I, Ambrosio S  
Intranigral dopamine toxicity and alpha-synuclein response in rats.  
Neurochem Res 31: 861-868 (2006)

384. Muntane G, Dalfo E, Martinez A, Rey MJ, Avila J, Perez M, Poertero M, Pamplona R, Ayala V, Ferrer I  
Glial fibrillary acidic protein is a major target of glycoxidative and lipoxidative damage in Pick's disease.  
J Neurochem 99: 177-185 (2006)

385. Barrachina M, Maes T, Buesa C, Ferrer I  
Lysosome-associated membrane protein 1 (LAMP-1) in Alzheimer's disease.  
Neuropathol Appl Neurobiol 32: 505-516 (2006)

386. Beyer K, Humbert J, Ferrer A, Lao JI, Carrato C, Lopez D, Ferrer I, Ariza A  
Low alpha-synuclein 126 mRNA levels in Dementia with Lewy bodies and Alzheimer's disease.  
NeuroReport 17: 1327-1330 (2006)

387. Rodriguez A, Martin M, Albasanz JL, Barrachina M, Espinosa JC, Torres JM, Ferrer I  
Adenosine A1 receptor protein levels and activity is increased in the cerebral cortex in Creutzfeldt-Jakob disease and in Bovine spongiform encephalopathy-infected bovine-PrP mice.  
J Neuropathol Exp Neurol 65: 964-975 (2006)

388. Freixes M, Rodriguez A, Dalfó E, Ferrer I  
Oxidation, glycoxidation, lipoxidation, nitration, and responses to oxidative stress in the cerebral cortex in Creutzfeldt-Jakob disease.  
Neurobiol Aging 27: 1807-1815 (2006)

389. Rodriguez A, Martin M, Albasanz JL, Barrachina M, Espinosa JC, Torres JM, Ferrer I  
Group I mGluR signaling in BSE-infected bovine-PrP transgenic mice.

Neuroscience Letters 410: 115-120 (2006)

390. Nicoll JA, Barton E, Boche D, Neal JW, Ferrer I, Thompson P, Vlachouli C, Wilkinson D, Bayer A, Games D, Seubert P, Schenk D, Holmes C  
Abeta species removal after abeta42 immunization  
J Neuropathol Exp Neurol 65: 1040-1048 (2006)

391. Rodriguez A, Perez-Gracia E, Espinosa JC, Pumarola M, Torres JM, Ferrer I  
Increased expression of water channel aquaporin 1 and aquaporin 4 in Creutzfeldt-Jakob disease and in bovine spongiform encephalopathy-infected bovine-PrP transgenic mice.  
Acta Neuropathol 112: 573-585 (2006)

392. Dierssen M, Gratacos M, Sahun I, Matin M, Gallego X, Amador-Arjona A, Martinez de Legran  
Transgenic mice overexpressing the full-length neurotrophin receptor TrkC exhibit increased catecholaminergic neuron density in specific brain areas and increased anxiety-like behavior and panic reaction.  
Neurobiol Dis 24: 403-418 (2006)

393. Albasanz JL, Rodriguez A, Ferrer I, Martin M  
Adenosine A2A receptors are up-regulated in Pick's disease frontal cortex.  
Brain Pathol 16: 249-255 (2006)

394. Abad MA, Enguita M, DeGregorio-Rocasolano N, Ferrer I, Trullas R  
Neuronal pentraxin 1 contributes to the neuronal damage evoked by amyloid-beta and is overexpressed in dystrophic neurites in Alzheimer's brain.  
J Neurosci 26: 12735-12747 (2006)

395. Reñe R, Campdelacreu J, Ferrer I, Escrig A, Povedano M, Gascon-Bayarri J, Moral E  
Familial Creutzfeldt-Jakob disease with E200K mutation presenting with neurosensory hypoacusis.  
J Neurol Neurosurg Psychiatr 78: 103-104 (2007)

396. Perez E, Barrachina M, Rodriguez A, Torrejón-Escribano B, Boada M, Hernandez I, Sánchez M, Ferrer I  
Aquaporin expression in the cerebral cortex is increased at early stages of Alzheimer's disease.  
Brain Res 1128: 164-174 (2007)

397. Ferrer I, Santpere G, Arzberger T, Bell J, Blanco R, Boluda S, Budka H, Carmona M, Giaccone G, Krebs B, Limido L, Parchi P, Puig B, Strammiello R, Strobel T, Kretschmar H.  
Brain protein preservation largely depends on the postmortem storage temperature: implications for study of proteins in human neurologic diseases and management of brain banks: a BrainNet Europe Study.  
J Neuropathol Exp Neurol 66:35-46 (2007)

398. Ferrer I, Perez E, Dalfo E, Barrachina M.  
Abnormal levels of prohibitin and ATP synthase in the substantia nigra and frontal cortex in Parkinson's disease.  
Neurosci Lett 415: 205-209 (2007)

399. Terni B, Rey MJ, Boluda S, Torrejón-Escribano B, Sabate MP, Calopa M, van Leeuwen FW, Ferrer I.  
Mutant ubiquitin and p62 immunoreactivity in cases of combined multiple system atrophy and Alzheimer's disease.  
Acta Neuropathol 113: 403-416 (2007)

400. Bruna J, Brell M, Ferrer I, Gimenez-Bonafe P, Tortosa A.  
Ki67 proliferative index predicts clinical outcome in patients with atypical or anaplastic meningioma.



Neuropathology 27: 114-120 (2007)

401. Beyer K, Humbert J, Ferrer A, Lao JI, Latorre P, Lopez D, Tolosa E, Ferrer I, Ariza A.  
A variable poly-T-sequence modulates alpha-synuclein isoform expression and is associated with aging.

J Neurosci Res 85: 1538-1546 (2007)

402. Schmidt A, Bauer M, Heinsen H, Feiden W, Falkai P, Alafuzoff I, Arzberger T, Al-Sarraj S, Bell JE, Bogdanovich N, Bruck W, Budka H, Ferrer I, Giaccone G, Kovacs GG, Meyronet D, Palkovits M, Parchi P, Patsouris E, Ravid R, Reynolds R, Riederer P, Roiggendorf W, Schwalber A, Seilhean D, Kretzschmar H.

How a neuropsychiatric brain bank should be run: a consensus paper of BrainNet Europe II.

J Neural Transm 114: 527-537 (2007)

403. Santpere G, Puig B, Ferrer I.

Oxidative damage of 14-3-3 zeta and gamma isoforms in Alzheimer's disease and cerebral amyloid angiopathy.

Neuroscience 146: 1640-1651 (2007)

404. Humbert J, Beyer K, Carrato C, Mate JL, Ferrer I, Ariza A.

Parkin and synphilin-1 isoform expression changes in Lewy body diseases.

Neurobiol Dis 26: 681-687 (2007)

405. Ferrer I, Armstrong J, Capellari S, Parchi P, Arzberger T, Bell J, Budka H, Ströbel T, Giaccone G, Rossi G, Bogdanovic N, Falkai P, Schmitt A, Riederer P, Al-Sarraj S, Ravid R, Kretzschmar H.

Effects of formalin fixation, paraffin embedding, and time of storage on DNA preservation in brain tissue: A BrainNet Europe study.

Brain Pathology 17: 297-303 (2007)

406. Rodriguez A, Ferrer I.

Expression of transcription factors CREB and c-Fos in the brains of terminal Creutzfeldt-Jakob disease cases.

Neurosci Lett 421: 10-15 (2007)

407. Olive M, Armstrong J, Miralles F, Pou A, Fardeau M, Gonzalez L, Martinez F, Fischer D, Martinez Matos JA, Shatunov A, Goldfarb L, Ferrer I

Phenotypic patterns of desminopathy associated with three novel mutations in the desmin gene.

Neuromusc Disor 17: 443-450 (2007)

408. Ilieva EV, Ayala V, Jove M, Dalfo E, Cacabelos D, Povedano M, Bellmunt MJ, Ferrer I, Pamplona R, Portero-Otin M

Oxidative and endoplasmic reticulum stress interplay in sporadic amyotrophic lateral sclerosis

Brain 130: 3111-3123 (2007)

409. Perez-Buira S, Barrachina M, Rodriguez A, Albasanz JL, Martin M, Ferrer I

Expression levels of adenosine receptors in hippocampus and frontal cortex in argyrophilic grain disease.

Neurosci Lett 423: 194-199 (2007)

410. Janue A, Odena MA, Oliveira E, Olive M, Ferrer I.

Desmin is oxidized and nitrated in affected muscles in myotilinopathies and desminopathies.

J Neuropathol Exp Neurol 66: 711-723 (2007)

411. Janue A, Olive M, Ferrer I.

Oxidative stress in desminopathies and myotilinopathies: a link between oxidative damage and abnormal protein aggregation.

Brain Pathol 17: 377-388 (2007)

412. Barrachina M, Moreno J, Juves S, Moreno D, Olive M, Ferrer I

Target genes of neuron-restrictive silencer factor are abnormally up-regulated in human myotilinopathy.

Am J Pathol 171: 1312-1323 (2007)

413. Costa C, Tortosa R, Rodriguez A, Ferrer I, Torres JM, Bassols A, Pumarola M  
Aquaporin 1 and aquaporin 4 overexpression in bovine spongiform encephalopathy in a transgenic murine model and in cattle field cases.

Brain Res 117: 96-106 (2007)

414. Albasanz JL, Rodriguez A, Ferrer I, Martin M

Up-regulation of adenosine A1 receptors in frontal cortex from Pick's disease cases.

Eur J Neurosci 26: 3501-3508 (2007)

415. LLado A, Sanchez-Valle R, Reñe R, Ezquerra M, Rey MJ, Tolosa E, Ferrer I, Molinuevo JL  
Late-onset frontotemporal dementia associated with a novel PGRN mutation

J Neural Transm 114: 1051-1054 (2008)

416. Martinez A, Dalfo E, Muntane G, Ferrer I

Glycopolytic enzymes are targets of oxidation in aged human frontal cortex and oxidative damage of these proteins is increased in progressive supranuclear palsy

J Neural Transm 115: 59-66 (2008)

417. Beyer K, Domingo-Sabat M, Lao JI, Carrato C, Ferrer I, Ariza A

Identification and characterization of a new alpha-synuclein isoform and its role in Lewy body diseases.

Neurogenetics 9: 15-23 (2008)

418. Molina-Porcel L, Lladó A, Rey MJ, Molinuevo JL, Martinez-Lage M, esteve FX, Ferrer I, Tolosa E, Blesa R

Clinical and pathological heterogeneity of neuronal intermediate filament inclusion disease.

Arch Neurol 65: 272-275 (2008)

419. Dalfo E, Ferrer I

Early-alpha-synuclein lipoxidation in neocortex in Lewy body diseases.

Neurobiol Aging 29: 408-417 (2008)

420. Alafuzoff I, Parkkinen L, Al-Sarraj S, Arzberger T, Bell J, Bodi I, Bogdanovic N, Budka H, Ferrer I, Gelpi E, Gentleman S, Giaccone G, Kamphorst W, King A, Korkolopoulou P, Kovács GG, Larionov S, Meyronet D, Monoranu C, Morris J, Parchi P, Patsouris E, Roggendorf W, Seilhean D, Streichenberger N, Thal DR, Kretzschmar H.

Assessment of alpha-Synuclein Pathology: A Study of the BrainNet Europe Consortium.

J Neuropathol Exp Neurol 67: 125-143 (2008)

421. Albasanz JL, Perez S, Barrachina M, Ferrer I, Martin M.

Up-regulation of adenosine receptors in the frontal cortex in Alzheimer's disease.

Brain Pathol 18: 211-219 (2008)

422. Olive M, van Leeuwen FW, Janué A, Moreno D, Torrejón-Escribano B, Ferrer I.

Expression of mutant ubiquitin (UBB+1) and p62 in myotilinopathies and desminopathies.

Neuropathol Appl Neurobiol 34:76-87 (2008)

423. Crecelius A, Götz A, Arzberger T, Frölich T, Arnold GJ, Ferrer I, Kretzschmar H.

Assessing quantitative post-mortem changes in the gray matter of the human frontal cortex proteome by 2-D DIGE.

Proteomics 8: 1276-1291 (2008)

424. Muntane G, Dalfo E, Martinez A, Ferrer I.

Phosphorylation of tau and alpha-synuclein in synaptic-enriched fractions of the frontal cortex in Alzheimer's disease, and in Parkinson's disease and related alpha-synucleinopathies.

Neuroscience 152: 913-923 (2008)

425. Alafuzoff I, Arzberger T, Al-Sarraj S, Bodi I, Bogdanovic N, Braak H, Bugiani O, Del Tredici K, Ferrer I, Gelpi E, Giaccone G, Graeber M, Ince P, Kamphorst W, King A, Korkolopoulou P, Kovács GG, Larionov S, Meyronet D, Monoranu C, Parchi P, Patsouris E, Roggendorf W, Seilhean D, Tagliavini F, Stadelmann C, Streichenberger N, Thal DR, Wharton SB, Kretschmar H.  
Staging of neurofibrillary tangle pathology in Alzheimer's disease: A study of the BrainNet Europe Consortium.  
Brain Pathol 18: 484-496 (2008)
426. Alafuzoff I, Pikkarainen M, Arzberger T, Thal DR, Al-Sarraj S, Bell J, Bodi I, Budka H, Capetillo-Zarate E, Ferrer I, Gelpi E, Gentleman S, Giaccone G, Kavantzias N, King A, Korkolopoulou P, Kovács GG, Meyronet D, Monoranu C, Parchi P, Patsouris E, Roggendorf W, Stadelmann C, Streichenberger N, Tagliavini F, Kretschmar H.  
Inter-laboratory comparison of neuropathological assessments of beta-amyloid protein: a study of the BrainNet Europe consortium.  
Acta Neuropathol 115: 533-546 (2008)
427. Bell JE, Alafuzoff I, Al-Sarraj S, Arzberger T, Bogdanovic N, Budka H, Dexter DT, Falkai P, Ferrer I, Gelpi E, Gentleman SM, Giaccone G, Huitinga I, Ironside JW, Kloueva N, Kovacs GG, Meyronet D, Palkovits M, Parchi P, Patsouris E, Reynolds R, Riederer P, Roggendorf W, Seilhean D, Schmitt A, Schmitz P, Streichenberger N, Schwalber A, Kretschmar H.  
Management of a twenty-first century brain bank: experience in the BrainNet Europe consortium.  
Acta Neuropathol 115: 497-507 (2008)
428. Gamez J, Corbera-Bedllalta M, Mila M, López-Lisbona R, Boluda S, Ferrer I.  
Chorea-ballism associated with familial amyotrophic lateral sclerosis. A clinical, genetic and neuropathological study.  
Mov Dis 23: 434-438 (2008)
429. Pamplona R, Iliev K, Ayala V., Bellmunt MJ, Cacabelos D, Dalfo E, Ferrer I, Portero-Otin M  
Maillard reaction versus other nonenzymatic modifications in neurodegenerative processes  
Ann NY Acad Sci 1126: 315-319 (2008)
430. López de Munain A, Alzualde A, Gorostidi A, Otaegui D, Ruiz-Martinez J, Indakoetxea B, Ferrer I, Perez-Tur J, Saenz A, Bergareche A, Barandiaran M, Poza JJ, Zabalza R, Ruiz I, Urtasum M, Fernández-Manchola I, Olasagasti B, Espinal JB, Olaskoaga J, Rubial M, Moreno F, Carrera N, Masso FJF  
Mutations in progranulin gene: clinical, pathological, and ribonucleic acid expression findings  
Biol Psychiatr 63: 946-952 (2008)
431. Santamaria I, Santpere G, MacDonald MJ, Gomez de Barreda E, Hernandez GF, Moreno FJ, Ferrer I, Avila J  
Coenzyme Q induces tau aggregation, tau filament, and Hirano bodies  
J Neuropathol Exp Neurol 67: 428-434 (2008)
432. Lladó A, Sánchez-Valle R, Rey MJ, Ezquerra M, Tolosa E, Ferrer I, Molinuevo JL, catalan collaborative study group for FTL D  
Clinicopathological and genetic correlates of frontotemporal lobar degeneration and corticobasal degeneration  
J Neurol 255: 488-494 (2008)
433. Ferrer I, Santpere G, van Leeuwen FW  
Argyrophilic grain disease  
Brain 131: 1416-1432 (2008)
434. Tajés M, Gutierrez-Cuesta J, Folch J, Ferrer I, Caballero B, Smith MA, Casadesus G, Camins A, Pallas M.

Lithium treatment decreases activities of tau kinases in a murine model of senescence  
*J Neuropathol Exp Neurol* 67: 612-623 (2008)

435. Fourcade S, López-Erauskain J, Galino J, Duval C, Naudi A, Jove M, Kemp S, Villarroya F, Ferrer I, Pamplona R, Portero-Otin M, Pujol A  
Early oxidative damage underlying neurodegeneration in X-adrenoleukodystrophy  
*Hum Mol Genet* 17:1762-1773 (2008)

436. Marquez M, Serafin A, Fernandez-Bellon H, Serrat S, Ferrer-Admetlla A, Bertrantpetit J, Ferrer I, Pumarola M  
Neuropathologic findings in an aged albino gorilla  
*Vet Pathol* 45: 531-537 (2008)

437. Pallas M, Pizarro JG, Gutierrez-Cuesta J, Crespo-Biel N, Alvira D, Tajés M, Yeste-Velkasko M, Flich J, Canudas AM, Sureda FX, Ferrer I, Camins A.  
Modulation of SIRT1 expression in different neurodegenerative models and human pathologies  
*Neuroscience* 154: 1388-1397 (2008)

438. Ferrer I, Martínez A, Boluda S, Parchi P, Barrachina M. Brain banks: benefits, limitations and cautions concerning the use of post-mortem brain tissue for molecular studies. *Cell Tissue Bank* 9: 181-194 (2008)

439. Perez-Gracia E, Torrejon-Escribano B, Ferrer I. Dystrophic neurites of senile plaques in Alzheimer's disease are deficient in cytochrome C oxidase.  
*Acta Neuropathol* 116: 261-268 (2008)

440. Alvira D, Ferrer I, Gutierrez-Cuesta J, Garcia-Castro B, Pallas M, Camins A. Activation of the calpain/cdk5/p25 pathway in the gyrus cinguli in Parkinson's disease. *Parkinsonism Relat Disord* 14: 309-313 (2008)

441. Beyer K, Domingo-Sabat M, Humbert J, Carrato C, Ferrer I, Ariza A.  
Differential expression of alpha-synuclein, parkin, and synphilin-1 isoforms in Lewy body diseases.  
*Neurogenetics* 9: 163-172 (2008)

442. Sorolla MA, Reverter-Branchat G, Tamarit J, Ferrer I, Cabisco E .  
Proteomic and oxidative stress analysis in human brain samples of Huntington's disease.  
*Free Radic Biol Med* 45: 667-678

443. Tortosa R, Vidal E, Costa C, Alamillo E, Torres JM, Ferrer I, Pumarola M  
Stress response in the central nervous system of a transgenic mouse model of bovine spongiform encephalopathy  
*Vet J* 178: 126-129 (2008)

444. Ferrer I, Olive M.  
Molecular pathology of myofibrillar myopathies.  
*Expert Rev Mol Med* 10:e25 (2008)

445. Villoslada P, Moreno B, Melero I, Pablos JL, Martino G, Uccelli A, Montalban X, Avila J, Rivest S, Acarin L, Appel S, Khoury SJ, McGeer P, Ferrer I, Delgado M, Obeso J, Schwartz M  
Immunotherapy for neurological diseases  
*Clin Immunol* 128: 294-305 (2008)

446. Perez M, Moran MA, Ferrer I, Avila J, Gomez-Ramos P.  
Phosphorylated tau in neuritic plaques of APPsw/tau<sup>vlw</sup> transgenic mice and Alzheimer disease.  
*Acta Neuropathol* 116: 409-418 (2008)

447. Pelegrí C, Duran-Vilaregut J, del Valle J, Crespo-Biel N, Ferrer I, Pallàs M, Camins A, Vilaplana J.

Cell cycle activation in striatal neurons from Huntington's disease patients and rats treated with 3-nitropropionic acid.  
Int J Dev Neurosci 26: 665-671 (2008)

448. Olivé M, Shatunov A, Gonzalez L, Carmona O, Moreno D, Quereda LG, Martinez-Matos JA, Goldfarb LG, Ferrer I.  
Transcription-terminating mutation in telethonin causing autosomal recessive muscular dystrophy type 2G in a European patient.  
Neuromuscul Disord 18: 929-933 (2008)

449. Pamplona R, Naudí A, Gavín R, Pastrana MA, Sajnani G, Ilieva EV, Del Río JA, Portero-Otín M, Ferrer I, Requena JR.  
Increased oxidation, glycoxidation, and lipoxidation of brain proteins in prion disease.  
Free Radic Biol Med 45: 1159-1166 (2008)

450. Guerrero D, Martinez-Velilla N, Caballero MC, Mendioroz MT, Tuñón T, Masdeu J, Rodriguez A, Armstrong J, Ferrer I.  
A patient with MV2 subtype of sporadic Creutzfeldt-Jakob disease and atypical clinical presentation.  
Clin Neuropathol 27: 408-413 (2008)

451. Martinez A, Carmona M, Portero-Otín M, Naudí A, Pamplona R, Ferrer I  
Type-dependent oxidative damage in frontotemporal lobar degeneration: cortical astrocytes are targets of oxidative damage  
J Neuropathol Exp Neurol 67: 1122-1136 (2008)

452. Kovacs GG, Alafuzoff I, Al-Sarraj S, Arzberger T, Bogdanovic N, Capellari S, Ferrer I, Gelpi E, Kövari V, Kretzschmar H, Nagy Z, Parchi P, Seilhean D, Soyninen H, Troakes C, Budka H.  
Mixed brain pathologies in dementia: the brainNet Europe consortium experience.  
Dementia 26:343-350 (2008)

453. Clarimón J, Molina-Porcel L, Gómez-Isla T, Blesa R, Guardia-Laguarta C, González-Neira A, Estorch M, Ma Grau J, Barraquer L, Roig C, Ferrer I, Lleó A.  
Early-Onset Familial Lewy Body Dementia with Extensive Tauopathy: A Clinical, Genetic, and Neuropathological Study.  
J Neuropathol Exp Neurol 68: 73-82 (2009)

454. Gamez J, Armstrong J, Shatunov A, Selva-O'Callaghan A, Dominguez-Oronoz R, Ortega A, Goldfarb L, Ferrer I, Olivé M.  
Generalized muscle pseudo-hypertrophy and stiffness associated with the myotilin Ser55Phe mutation: A novel myotilinopathy phenotype?  
J Neurol Sci 277: 167-171 (2009)

455. Knafo S, Alonso-Manclares L, Gonzalez-Soriano J, Merino-Serais P, Feraud-Espinosa I, Ferrer I, DeFelipe J.  
Widespread Changes in Dendritic Spines in a model of Alzheimer disease.  
Cerebral Cortex 19:586-592 (2009)

456. Rubio de la Torre E, Luzón-Toro B, Forte-Lago I, Minguez-Castellanos A, Ferrer I, Hilfiker S.  
Combined kinase inhibition modulates parkin inactivation.  
Hum Mol Genet. 18: 809-823 (2009)

457. Kellner A, Matschke J, Bernreuther C, Moch H, Ferrer I, Glatzel M.  
Autoantibodies against beta-amyloid are common in Alzheimer's disease and help control plaque burden.  
Ann Neurol 65: 24-31 (2009)

458. Gomez A, Ferrer I

Increased oxidation of certain glycolysis and energy metabolism enzymes in the frontal cortex in Lewy body diseases.

J Neurosci Res 87: 1002-1013 (2009)

459. Olivé M, Janue A, Moreno D, Gamez J, Torrejon-Escribano B, Ferrer I  
TAR DNA-binding protein 43 accumulation in protein aggregate myopathies.

J Neuropathol Exp Neurol 68: 262-273 (2009)

460. Santpere G, Ferrer I.

LRRK2 and neurodegeneration.

Acta Neuropathol 117: 227-246 (2009)

461. Santpere G, Ferrer I

Delineation of early changes in cases with progressive supranuclear palsy-like pathology. Astrocytes in striatum are primary targets of tau phosphorylation and GFAP oxidation

Brain Pathol 19: 177-187 (2009)

462. Shatunov A, Olivé M, Odgerel Z, Stadelmann-Nessler C, Irlbacher K, van Landeghem F, Bayarsaikhan M, Lee HS, Goudeau B, Chinnery PF, Straub V, Hilton-Jones D, Damian MS, Kaminska A, Vicart P, Bushby K, Dalakas MC, Sambuughin N, Ferrer I, Goebel HH, Goldfarb LG.

In-frame deletion in the seventh immunoglobulin-like repeat of filamin C in a family with myofibrillar myopathy.

Eur J Hum Genet 17: 656-663 (2009)

463. Monoranu CM, Apfelbacher M, Grünblatt E, Puppe B, Alafuzoff I, Ferrer I, Al-Saraj S, Keyvani K, Schmitt A, Falkai P, Schittenhelm J, Halliday G, Kril J, Harper C, McLean C, Riederer P, Roggendorf W.

pH measurement as quality control on human postmortem brain tissue: A Study of the BrainNet Europe Consortium.

Neuropathol Appl Neurobiol 35: 329-337 (2009)

464. Navarro A, Boveris A, Báñez MJ, Sanchez-Pinto MJ, Gómez C, Muntane G, Ferrer I.

Human brain cortex: mitochondrial oxidative damage and adaptative response in Parkinson disease and dementia with Lewy bodies.

Free Radic Biol Med 46: 1574-1580 (2009)

465. Genis D, Ferrer I, Valls Sole J, Corral J, Volpini V, San Nicolas H, Gich J, Ramió-Torrenta L, Ferrándiz M, Puig J, Márquez F.

A kindred with cerebellar ataxia and thermoanalgesia.

J Neurol Neurosurg Psychiatr 80: 518-523 (2009)

466. Jimenez-Mallebrera C, Nascimento A, Corbera JR, Rolland MO, Froissant R, Olivé M, Ferrer I, Colomer M

Glycogen branching enzyme deficiency in an infant with severe congenital hypotonia: an emerging diagnosis of muscle weakness in the perinatal period.

Histopathology 54: 763-779 (2009)

467. Alafuzoff I, Ince PG, Arzberger T, Al-Sarraj S, Bell J, Bodi I, Bogdanovic N, Bugiani O, Ferrer I, Gelpi E, Gentleman S, Giaccone G, Ironside JW, Kavantzias N, King A, Korkolopoulou P, Kovács GG, Meyronet D, Monoranu C, Parchi P, Parkkinen L, Patsouris E, Roggendorf W, Rozemuller A, Stadelmann-Nessler C, Streichenberger N, Thal DR, Kretschmar H.

Staging/typing of Lewy body related alpha-synuclein pathology: a study of the BrainNet Europe Consortium.

Acta Neuropathol 117: 635-652 (2009)

468. Ferrer I

Early involvement of the cerebral cortex in Parkinson's disease: Convergence of multiple metabolic defects

Progr Neurobiol 88: 89-103 (2009)

469: Parchi P, Notari S, Weber P, Schimmel H, Budka H, Ferrer I, Haik S, Hauw JJ, Head MW, Ironside JW, Limido L, Rodriguez A, Ströbel T, Tagliavini F, Kretzschmar H  
Inter-laboratory assessment of PrPres typing in Creutzfeldt-Jakob disease: A western blot study within the Neuroprion consortium  
Brain Pathol 19: 384-391 (2009)

470. Barrachina M, Ferrer I  
DNA methylation of Alzheimer disease and tauopathy-related genes in postmortem brain  
J Neuropathol Exp Neurol 68: 880-891 (2009)

471. Biagioli M, Pinto M, Cesselli D, Zaninello M, Lazarevic D, Roncaglia P, Simone R, Vlachouli C, Polessy C, Bertin N, Beltrami A, Kobayashi P, Gallo V, Santoro C, Ferrer I, Rivella S, Beltrami CA, Carninci P, Raviola E, Gustincich S  
Unexpected expression of alpha- and beta-globin in mesencephalic dopaminergic neurons and glial cells.  
PNAS 106: 15446-15451 (2009)

472. Knafo S, Venero C, Merino-Serrais P, Fernaud- Espinosa I, Gonzalez-Soriano J, Ferrer I, Santpere D, DeFelipe J  
Morphological alterations to neurons of the amygdala and impaired fear conditioning in a transgenic mouse model of Alzheimer's disease.  
J Pathol 219: 41-51 (2009)

473. Ramirez CM, Gonzalez M, Diaz M, Alonso R, Ferrer I, Santpere G, Puig B, Meyer G, Marin R  
VDAC and ER $\alpha$  interactions in caveolae from human cortex are altered in Alzheimer's disease.  
Mol Cell Neurosci 42: 172-183 (2009)

474. Perez-Gracia E, Blanco R, Carmona M, Carro E, Ferrer I  
Oxidative stress damage and oxidative stress responses in the choroid plexus in Alzheimer's disease.  
Acta Neuropathol 118: 497-504 (2009)

475. Antequera D, Vargas T, Ugalde C, Spuch C, Molina JA, Ferrer I, Bermejo-Pareja F, Carro E  
Cytoplasmic gelsolin increases mitochondrial activity and reduces A $\beta$  burden in a mouse model of Alzheimer's disease  
Neurobiol Dis 36: 42-50 (2009)

476. Martí-Massó JF, Ruiz-Matínez J, Bolaño MJ, Ruiz I, Gorostidi A, Moreno F, Ferrer I, López de Munain A  
Neuropathology of Parkinson's disease with the R1441G mutation in LRRK2  
Mov Disord 24: 1998-2001 (2009)

477. Gründblatt E, Monoranuy CM, Apfelbacher M, Keller D, Michel TM, Alafuzoff I, Ferrer I, Al-Saraj S, Keyvanbi K, Schmitt A, Falkai P, Schiöenhelm J, McLean C, Halliday GM, Harper C, Deckert J, Roggendorf W, Riederer P  
Tryptophan is a marker of human postmortem brain tissue quality  
J Neurochem 110: 1400-1408 (2009)

478. Boada M, Ortiz P, Anaya F, Hernandez I, Munoz J, Nunez L, Olazarán J, Roca I, Cuberas G, Tarraga L, Buendia M, Pla RP, Ferrer I, Paez A.  
Amyloid-targeted therapeutics in Alzheimer's disease: use of human albumin in plasma exchange as a novel approach for A $\beta$  mobilization.  
Drug News Perspect 22: 325-339 (2009)

479. Ferrer I  
Altered mitochondria, energy metabolism, voltage-dependent anion channel, and lipid rafts converge to exhaust neurons in Alzheimer's disease.

J Bioenerg Biomembr 41: 425-431 (2009)

480. Kichev A, Ilieva EV, Piñol-Ripoll G, Podlesniy P, Ferrer I, Portero-Otin M, Pamplona M, Espinet C

Cell death and learning impairment in mice caused by in vitro modified pro-NGF can be related to its increased oxidative modifications in Alzheimer disease.

Am J Pathol 175: 2574-2585 (2009)

481. Garcia-Marin V, Blazquez-Llorca L, Rodriguez JR, Boluda S, Munaten G, Ferrer I, de Felipe J

Diminished peri-somatic GABAergic terminals on cortical neurons adjacent to amyloid plaques  
Frontiers Neuroanatomy 3: 1-17 (2009)

482. Costa C, Tortosa R, Vidal E, Padilla D, Torres JM, Ferrer I, Pumarola M, Bassols A  
Central nervous system extracellular matrix changes in a transgenic mouse model of bovine spongiform encephalopathy

Vet J 182: 306-314 (2009)

483. Huesa G, Baltrons MA, Gómez-Ramos P, Moranc A, García A, Hidalgo J, Francesa S, Santpere G, Ferrer I, Galea E

Altered Distribution of RhoA in Alzheimer's Disease and A $\beta$ PP Overexpressing Mice  
J Alzh Dis 19: 37-56 (2010)

484. Terni B, Boada J, Portero-Otin M, Pamplona R, Ferrer I

Mitochondrial ATP synthase in the entorhinal cortex is a target of oxidative stress at stages I/II of Alzheimer disease pathology

Brain Pathol 20: 222-233 (2010)

485. Guardia-Laguarta C, Pera M, Clariomon J, Molinuevo KL, Sáncjhez-Valle R, Llado A, Coma M, Gómez-Isla T, Blesa R, Ferrer I, Lleó A

Clinical, neuropathologic, and biochemical profile of the amyloid precursor protein I716F mutation

J Neuropath Exp Neurol 69: 53-59 (2010)

486. Durrenberger PF, Fernando S, Kashefi SN, Ferrer I, Hauw JJ, Seilhean D, Smith C, Walker R, Al-Sarraj S, Troakes C, Palkovits M, Kasztner M, Huitinga I, Arzberger T, Dexter DT, Kretschmar H, Reynolds R

Effects of antemortem and postmortem variables on human brain mRNA quality: a BrainNet Europe Study

J Neuropathol Exp Neurol 69: 70-81 (2010)

487. Martin V, Fabelo N, Dsantpere G, Puig B, Marín R, Ferrer I, Díaz M

Lipid alterations in lipid rafts from Alzheimer's disease human brain cortex.

J Alzh Dis 19: 489-502 (2010)

488. Janué A, Olivé M, Ferrer I

Tau phosphorylation in myotilinopathies and desminopathies

The Open Pathol J 4: 1-10 (2010)

489. Gavín R, Ferrer I, Del Río JA.

Involvement of Dab1 in APP processing and beta-amyloid deposition in sporadic Creutzfeldt-Jakob patients

Neurobiol Dis 37: 324-329 (2010)

490. Buirá SP, Albasanz JL, Dentesano G, Moreno J, Martín M, Ferrer I, Barrachina M. DNA methylation regulates adenosine A(2A) receptor cell surface expression levels. J Neurochem 112: 1273-1285 (2010)

491. Lisboa Fernández L, Carmona M, Portero-Otin M, Naudi A, Pamplona R, Schröder N, Ferrer I



Effects of increased iron intake during the neonatal period on the brain of adult A $\beta$ PP/PS1 transgenic mice

J Alzh Dis 19: 1069-1080 (2010)

492. Muntane G, Janue A, Fernández N, Odena MA, Oliveira E, Boluda S, Portero-Otín M, Naudí A, Boada J, Pamplona R, Ferrer I

Modification of brain lipids but not phenotype in synucleinopathy transgenic mice by long-term dietary n-3 fatty acids

Neurochem Int 56: 318-328 (2010)

493. Martinez A, Portero-Otín M, Pamplona R, Ferrer I

Protein targets of oxidative damage in human neurodegenerative diseases with abnormal protein aggregates

Brain Pathol 20: 281-297 (2010)

494. Van Deerlin VM, Sleiman PM, Martinez-Lage M, Chen-Plotkin A, Wang LS, Graff-Radford NR, Dickson DW, Rademakers R, Boeve BF, Grossman M, Arnold SE, Mann DM, Pickering-Brown SM, Seelaar H, Heutink P, van Swieten JC, Murrell JR, Ghetti B, Spina S, Grafman J, Hodges J, Spillantini MG, Gilman S, Lieberman AP, Kaye JA, Woltjer RL, Bigio EH, Mesulam M, Al-Sarraj S, Troakes C, Rosenberg RN, White CL 3rd, Ferrer I, Lladó A, Neumann M, Kretzschmar HA, Hulette CM, Welsh-Bohmer KA, Miller BL, Alzualde A, de Munain AL, McKee AC, Gearing M, Levey AI, Lah JJ, Hardy J, Rohrer JD, Lashley T, Mackenzie IR, Feldman HH, Hamilton RL, Dekosky ST, van der Zee J, Kumar-Singh S, Van Broeckhoven C, Mayeux R, Vonsattel JP, Troncoso JC, Kril JJ, Kwok JB, Halliday GM, Bird TD, Ince PG, Shaw PJ, Cairns NJ, Morris JC, McLean CA, Decarli C, Ellis WG, Freeman SH, Frosch MP, Growdon JH, Perl DP, Sano M, Bennett DA, Schneider JA, Beach TG, Reiman EM, Woodruff BK, Cummings J, Vinters HV, Miller CA, Chui HC, Alafuzoff I, Hartikainen P, Seilhean D, Galasko D, Masliah E, Cotman CW, Tuñón MT, Martínez MC, Munoz DG, Carroll SL, Marson D, Riederer PF, Bogdanovic N, Schellenberg GD, Hakonarson H, Trojanowski JQ, Lee VM.

Common variants at 7p21 are associated with frontotemporal lobar degeneration with TDP-43 inclusions.

Nat Genet 42: 234-239 (2010)

495. Illieva EV, Naudi A, Kichev A, Ferrer I, Pamplona R, Portero-Otín M

Depletion of oxidative and endoplasmic reticulum stress regulators in Pick disease

Free Radical Biol Med 48: 1302-1310 (2010)

496. Samaranch L, Lorenzo-Betancor O, Arbelo JM, Ferrer I, Lorenzo E, Irigoyen J, Pastor MA, Marrero C, Isla C, Herrera-Henriquez J, Pastor P. PINK1-linked parkinsonism is associated with Lewy body pathology.

Brain 133: 1128-1142 (2010)

497. Serrano-Pozo A, Williams CM, Ferrer I, Uro-Coste E, Delisle MB, Maurage CA, Hock C, Nitsch RM, Masliah E, Growdon JH, Frosch MP, Hyman BT. Beneficial effect of human anti-amyloid-beta active immunization on neurite morphology and tau pathology. Brain 133: 1312-27 (2010)

498. Gascon-Bayarri J, Campdelacreu J, Monasterio C, Prats E, Ferrer I, Reñé R. Central apnea in a sporadic case of Creutzfeldt-Jakob disease with brainstem involvement. Acta Neurol Belg 110: 113-115 (2010)

499. Ferrer I, Aubourg P, Pujol A. General Aspects and Neuropathology of X-Linked Adrenoleukodystrophy. Brain Pathol 20: 817-830 (2010)

500. Gómez A, Ferrer I. Involvement of the cerebral cortex in Parkinson disease linked with G2019S LRRK2 mutation without cognitive impairment. Acta Neuropathol 120:155-167 (2010)

501. Sorolla MA, Rodríguez-Colman MJ, Tamarit J, Tamarit J, Ortega Z, Lucas JJ, Ferrer I, Rosa J, Cabiscol E. Protein oxidation in Huntington disease affects energy production and vitamin B6 metabolism. Free Radic Biol Med 49: 612-621 (2010)

502. Alzualde A, Indakoetxea B, Ferrer I, Moreno F, Barandiaran M, Gorostidi A, Estanga A, Ruiz I, Calero M, van Leeuwen FW, Atares B, Juste R, Rodríguez-Martínez AB, López de Munain A. A Novel PRNP Y218N Mutation in Gerstmann-Sträussler-Scheinker Disease With Neurofibrillary Degeneration. *J Neuropathol Exp Neurol* 69: 789-800 (2010)
503. Caballol Pons N, Montalà N, Valverde J, Brell M, Ferrer I, Martínez-Yélamos S. Isolated cerebral vasculitis associated with rheumatoid arthritis. *Joint Bone Spine* 77: 361-363 (2010)
504. Vargas T, Ugalde C, Spuch C, Antequera D, Morán MJ, Martín MA, Ferrer I, Bermejo-Pareja F, Carro E. Abeta accumulation in choroid plexus is associated with mitochondrial-induced apoptosis. *Neurobiol Aging* 31: 1569-1581 (2010)
505. Buirá SP, Dentesano G, Albasanz JL, Moreno J, Martín M, Ferrer I, Barrachina M. DNA methylation and Yin Yang-1 repress adenosine A2A receptor levels in human brain. *J Neurochem* 115: 283-295 (2010)
506. Zucchelli S, Codrich M, Marcuzzi F, Pinto M, Vilotti S, Biagioli M, Ferrer I, Gustincich S. TRAF6 promotes atypical ubiquitination of mutant DJ-1 and alpha-synuclein and is localized to Lewy bodies in sporadic Parkinson's disease brains. *Hum Mol Genet* 19: 3759-3770 (2010)
507. de Lemos L, Junyent F, Verdaguer E, Folch J, Romero R, Pallàs M, Ferrer I, Auladell C, Camins A. Differences in activation of ERK1/2 and p38 kinase in Jnk3 null mice following KA treatment. *J Neurochem* 114: 1315-1322 (2010)
508. Alzualde A, Moreno F, Martínez-Lage P, Ferrer I, Gorostidi A, Otaegui D, Blázquez L, Atares B, Cardoso S, Martínez de Pancorbo M, Juste R, Rodríguez-Martínez AB, Indakoetxea B, de Munain AL. Somatic mosaicism in a case of apparently sporadic Creutzfeldt-Jakob disease carrying a de novo D178N mutation in the PRNP gene. *Am J Med Genet B Neuropsychiatr Genet* 153B(7):1283-1291 (2010)
509. Martí E, Pantano L, Bañez-Coronel M, Llorens F, Miñones-Moyano E, Porta S, Sumoy L, Ferrer I, Estivill X. A myriad of miRNA variants in control and Huntington's disease brain regions detected by massively parallel sequencing. *Nucleic Acids Res* 2010 38: 7219-7235 (2010)
510. Camins A, Pizarro JG, Alvira D, Gutierrez-Cuesta J, de la Torre AV, Folch J, Sureda FX, Verdaguer E, Junyent F, Jordán J, Ferrer I, Pallàs M. Activation of ataxia telangiectasia muted under experimental models and human Parkinson's disease. *Cell Mol Life Sci* 67: 3865-3882 (2010)
511. Lladó L, Baliellás C, Casasnovas C, Ferrer I, Fabregat J, Ramos E, Castellote J, Torras J, Xiol X, Rafecas A. Risk of transmission of systemic transthyretin amyloidosis after domino liver transplantation. *Liver Transpl* 16: 1386-1392 (2010)
512. Riera-Mestre A, Martínez-Yelamos S, Martínez-Yelamos A, Ferrer I, Pujol R, Vidaller A. Clinicopathologic features and outcomes of neuro-Behçet disease in Spain: A study of 20 patients. *Eur J Intern Med* 21: 536-541 (2010)
513. Ferrer I. Cognitive impairment of vascular origin: Neuropathology of cognitive impairment of vascular origin. *J Neurol Sci* 299: 139-149 (2010)
514. Beyer K, Domingo-Sàbat M, Santos C, Tolosa E, Ferrer I, Ariza A. The decrease of {beta}-synuclein in cortical brain areas defines a molecular subgroup of dementia with Lewy bodies. *Brain* 133: 3724-3733 (2010)
515. Alvarez-Erviti L, Rodríguez-Oroz MC, Cooper JM, Caballero C, Ferrer I, Obeso JA, Schapira AH. Chaperone-mediated autophagy markers in Parkinson disease brains. *Arch Neurol* 67: 1464-1472 (2010)

516. Rodríguez-Martínez AB, Garrido JM, Zarranz JJ, Arteagoitia JM, de Pancorbo MM, Atarés B, Bilbao MJ, Ferrer I, Juste RA.  
A novel form of human disease with a protease-sensitive prion protein and heterozygosity methionine/valine at codon 129: Case report.  
BMC Neurol 10:99 (2010)
517. Fernandez-Fernandez MR, Ferrer I, Lucas JJ.  
Impaired ATF6 $\alpha$  processing, decreased Rheb and neuronal cell cycle re-entry in Huntington's disease.  
Neurobiol Dis 41: 23-32 (2011)
518. Ferrer I.  
Neuropathology and Neurochemistry of Nonmotor Symptoms in Parkinson's disease.  
Parkinson's Disease (SAGE-Hindawi) 2011, ID 708404 (doi:10.4061/2011/708404)
519. Veloso A, Astigarrá E, Barreda-Gomez G, Manuel I, Ferrer I, Giralt MT, Ochoa B, Fresnedo O, Rodríguez-Pueretas R, J.A. Fernandez.  
Anatomical distribution of lipids in human brain cortex by imaging mass spectrometry.  
J Am Soc Mass Spectrom 22: 329-338 (2011)
520. Ferrer I, Gómez A, Carmona M, Huesa G, Porta S, Riera-Codina M, Biagioli M, Gustincich S, Aso E.  
Neuronal haemoglobin is reduced in Alzheimer's disease, argyrophilic grain disease, Parkinson's disease, and dementia with Lewy bodies.  
J Alzheimer's Dis 23: 537-550 (2011)
521. Ilieva EV, Kichev A, Naudí A, Ferrer I, Pamplona R, Portero-Otín M.  
Mitochondrial dysfunction and oxidative and endoplasmic reticulum stress in argyrophilic grain disease.  
J Neuropathol Exp Neurol 70: 253-263 (2011)
522. Ferrer I, Carmona M, Blanco R, Rey Recio MJ, San Segundo RM.  
Gerstmann-Straüssler-Scheinker PRNP P102L-129V mutation.  
Translational Neurosci 2: 23-32 (2011)
523. Giaccone G, Arzberger T, Alafuzoff I, Al-Sarraj S, Budka H, Duyckaerts C, Falkai P, Ferrer I, Ironside JW, Kovács GG, Meyronet D, Parchi P, Patsouris E, Revesz T, Riederer P, Rozemuller A, Schmitt A, Winblad B, Kretschmar H; on behalf of the BrainNet Europe consortium.  
New lexicon and criteria for the diagnosis of Alzheimer's disease.  
Lancet Neurol 10: 298-299 (2011)
524. Junyent F, de Lemos L, Verdaguer E, Folch J, Ferrer I, Ortuño-Sahagun D, Beas-Zarate C, Romero R, Pallas M, Auladell C, Camins A  
Gene expression profile in JNK3 null mice: a novel specific activation of the PI3K/AKT pathway  
J Neurochem 117: 244-252 (2011)
525. Monoranu CM, Grünblatt E, Bartl J, Meyer A, Apfelbacher M, Keller D, Michel TM, Al-Sarraj S, Schmitt A, Falkai P, Roggendorf W, Deckert J, Ferrer I, Riederer P.  
Methyl- and acetyltransferases are stable epigenetic markers postmortem.  
Cell Tissue Bank 12: 289-297 (2011)
526. Ferrer I, Martínez A, Blanco R, Dalfo E, Carmona M  
Neuropathology of sporadic Parkinson disease before the appearance of parkinsonism: preclinical Parkinson disease.  
J Neural Transm 118: 821-839 (2011)
527. Sepulveda-Falla D, Matschke J, Bernreuther C, Hagel C, Puig B, Villegas A, Garcia G, Zea J, Gomez-Mancilla B, Ferrer I, Lopera F, Glatzel M

Deposition of hyperphosphorylated tau in cerebellum of PS1 E280A Alzheimer's disease.  
*Brain Pathol* 21: 452-463 (2011)

528. Veloso A, Fernandez R, Astirraga E, Barreda-Gomez G, Manuel I, Giralt T, Ferrer I, Ochoa B, Rodriguez Puertas R, Fernandez JA  
Distribution of lipids in human brain  
*Anal Bioanal Chem* 401: 89-101 (2011)

529. Calero O, Bullido MJ, Clarimón J, Frank-García A, Martínez-Martín P, Lleó A, Rey MJ, Rábano A, Blesa R, Gómez-Isla T, Valdivieso F, de Pedro-Cuesta J, Ferrer I, Calero M  
Genetic Cross-Interaction between APOE and PRNP in Sporadic Alzheimer's and Creutzfeldt-Jakob Diseases  
*PLoS One* 6: e22090 (2011)

530. López-Erauskin J, Fourcade S, Galino J, Ruiz M, Schlüter A, Naudi A, Jove M, Portero-Otin M, Pamplona R, Ferrer I, Pujol A  
Antioxidants halt axonal degeneration in a mouse model of X-adrenoleukodystrophy  
*Ann Neurol* 70: 84-92 (2011)

531. López-Hernández T, Sirisi S, Capdevila-Nortes X, Montolio M, Fernández-Dueñas V, Scheper GC, van der Knaap MS, Casquero P, Ciruela F, Ferrer I, Nunes V, Estévez R  
Molecular mechanisms of MLC1 and GLIALCAM mutations in megalencephalic leukoencephalopathy with subcortical cysts  
*Hum Mol Genet* 20: 3266-3277 (2011)

532. Carulla P, Bribián A, Rangel A, Gavín R, Ferrer I, Caelles C, Del Río JA, Llorens F  
Neuroprotective role of PrPC against kainate-induced epileptic seizures and cell death depends on the modulation of JNK3 activation by GluR6/7-PSD-95 binding  
*Mol Biol Cell* 22: 3041-3054 (2011)

533. Miñones-Moyano E, Porta S, Escaramís G, Rabionet R, Iraola S, Kagerbauer B, Espinosa-Parrilla Y, Ferrer I, Estivill X, Martí E  
MicroRNA profiling of Parkinson's disease brains identifies early downregulation of miR-34b/c which modulate mitochondrial function.  
*Hum Mol Genet* 20: 3067-3078 (2011)

534. Sisó S, González L, Blanco R, Chianini F, Reid HW, Jeffrey M, Ferrer I  
Neuropathological changes correlate temporally but not spatially with selected neuromodulatory responses in natural scrapie  
*Neuropathol Appl Neurobiol* 37: 484-499 (2011)

535. Ayala V, Granado-Serrano AB, Cacabelos D, Naudí A, Ilieva EV, Boada J, Caraballo-Miralles V, Lladó J, Ferrer I, Pamplona R, Portero-Otin M. Cell stress induces TDP-43 pathological changes associated with ERK1/2 dysfunction: implications in ALS.  
*Acta Neuropathol* 122: 259-270 (2011)

536. Olivé M, Odgerel Z, Martínez A, Poza JJ, Bragado FG, Zabalza RJ, Jericó I, Gonzalez-Mera L, Shatunov A, Lee HS, Armstrong J, Maraví E, Arroyo MR, Pascual-Calvet J, Navarro C, Paradas C, Huerta M, Marquez F, Rivas EG, Pou A, Ferrer I, Goldfarb LG. Clinical and myopathological evaluation of early- and late-onset subtypes of myofibrillar myopathy.  
*Neuromuscul Disord* 21: 533-542 (2011)

537. Molin J, Marquez M, Raurell X, Matiasek K, Ferrer I, Pumarola M  
Acute clinical onset chronic inflammatory demyelinating polyneuropathy in a dog  
*Muscle & Nerve* 44: 441-444 (2011)

538. Mazzitelli S, Xu P, Ferrer I, Davis RJ, Tournier C.  
The Loss of c-Jun N-Terminal Protein Kinase Activity Prevents the Amyloidogenic Cleavage of Amyloid Precursor Protein and the Formation of Amyloid Plaques In Vivo.  
*J Neurosci* 31: 16969-16976 (2011)

539. Fabelo N, Martín V, Santpere G, Marín R, Torrent L, Ferrer I, Díaz M. Severe alterations in lipid composition of frontal cortex lipid rafts from Parkinson's disease and incidental Parkinson's disease.  
Mol Med 17(9-10): 1107-1118 (2011)
540. Galino J, Ruiz M, Fourcade S, Schlüter A, López-Erauskin J, Guilera C, Jove M, Naudi A, García-Arumí E, Andreu AL, Starkov AA, Pamplona R, Ferrer I, Portero-Otin M, Pujol A. Oxidative damage compromises energy metabolism in the axonal degeneration mouse model of X-adrenoleukodystrophy.  
Antioxid Redox Signal 15: 2095-2107 (2011)
541. Muntané G, Ferrer I, Martínez-Vicente M.  
 $\alpha$ -synuclein phosphorylation and truncation are normal events in the adult human brain.  
Neuroscience 2012:106-19 (2012).
542. Tomás-Zapico C, Díez-Zaera M, Ferrer I, Gómez-Ramos P, Morán MA, Miras-Portugal MT, Díaz-Hernández M, Lucas JJ.  
 $\alpha$ -Synuclein accumulates in huntingtin inclusions but forms independent filaments and its deficiency attenuates early phenotype in a mouse model of Huntington's disease.  
Hum Mol Genet 21: 495-510 (2012)
543. Beyer K, Muñoz Marmol AM, Sanz C, Marginet-Flinch R, Ferrer I, Ariza A  
New brain-specific beta-synuclein isoforms show expression ratio changes in Lewy body diseases.  
Neurogenetics 13: 61-72 (2012)
544. Bañez-Coronel M, Porta S, Kagerbauer B, Mateu-Huertas E, Pantano L, Ferrer I, Guzman M, Estivill X, Martí E  
A pathogenic mechanism in Huntington's disease involves small CAG-repeated RNAs with neurotoxic activity  
PLoS Genetics 8:2 e1002481 (2012)
545. Ravid R, Ferrer I.  
Brain banks as key part of biochemical and molecular studies on cerebral cortex involvement in Parkinson's disease.  
FEBS J 279: 1167-1176 (2012)
546. Martínez-Saez E, Gelpi E, Rey MJ, Ferrer I, Ribalta T, Botta-Orfila T, Nos C, Yagüe J, Sánchez-Valle R.  
Hirano body-rich subtypes of Creutzfeldt-Jakob disease.  
Neuropathol Appl Neurobiol 38: 153-161 (2012)
547. Fernández AF, Assenov Y, Martín-Subero JI, Balint B, Siebert R, Taniguchi H, Yamamoto H, Hidalgo M, Tan AC, Galm O, Ferrer I, Sánchez-Céspedes M, Villanueva A, Carmona J, Sánchez-Mut JV, Berdasco M, Moreno V, Capella G, Monk D, Ballestar E, Ropero S, Martínez R, Sánchez-Carbayo M, Prosper F, Agirre X, Fraga MF, Graña O, Pérez-Jurado L, Mora J, Puig S, Prat J, Badimon L, Puca AA, Meltzer SJ, Lengauer T, Bridgewater J, Bock C, Esteller M.  
A DNA methylation fingerprint of 1628 human samples.  
Genome Res 22: 407-419 (2012)
548. Torrent L, Ferrer I.  
PP2A and Alzheimer Disease.  
Curr Alzheimer Res 9: 248-256 (2012)
549. Rodríguez-Diehl R, Rey MJ, Gironell A, Martínez-Saez E, Ferrer I, Sánchez-Valle R, Yagüe J, Nos C, Gelpi E.  
Preclinical MSA in definite Creutzfeldt-Jakob disease.  
Neuropathology 32: 158-163 (2012)

550. Ferrer I.  
Defining Alzheimer as a common age-related neurodegenerative process not inevitably leading to dementia.  
Prog Neurobiol 97: 38-51 (2012)
551. Sanchez-Valle R, Yagüe J, Turón A, Aróstegui JI, Nos C, Rey MJ, Ferrer I, Gelpi E.  
Inherited prion disease with 4-octapeptide repeat insertion linked to valine at codón 129  
Brain 135:e212 (2012)
552. Vilotti S, Codrich M, Dal Ferro M, Pinto M, Ferrer I, Collavin L, Gustincich S, Zucchelli S.  
Parkinson's Disease DJ-1 L166P Alters rRNA Biogenesis by Exclusion of TTRAP from the Nucleolus and Sequestration into Cytoplasmic Aggregates via TRAF6.  
PLoS One. 7:e35051 (2012)
553. Perez-Poyato Maria Socorro, Mila Recensens Mercedes, Ferrer Abizanda Isidro, Domingo Jimenez Rosario, Lopez Lafuente Amparo, Cusí Sanchez Victoria, Rodriguez Revenga Laia, Coll Rosell M Jose, Gort Laura, Póo Argüelles Pilar, Pineda Marfá Mercedes  
Infantile neuronal ceroid lipofuscinosis: follow-up on a Spanish series  
Gene 499: 297-302 (2012)
554. Ferrer I, López-Gonzalez I, Carmona M, Dalfó E, Pujol A, Martínez A  
Neurochemistry and the non-motor aspects of PD  
Neurobiol Dis 46: 508–526 (2012)
555. Antequera D, Bolos M, Spuch C, Pascual C, Ferrer I, Fernandez-Bachiller MI, Rodriguez-Franco MI, Carro E  
Effects of tacrine-8-hydroxyquinoline hybrid (IQM-622) on Abeta accumulation and cell death: Involvement in hippocampal neuronal loss in Alzheimer's disease.  
Neurobiol Dis 46: 682-691 (2012)
556. Aso E, Palomer E, Juvés S, Maldonado R, Muñoz FJ, Ferrer I.  
CB1 agonist ACEA protects neurons and reduces the cognitive impairment of A $\beta$ PP/PS1 mice.  
J Alzheimers Dis 30: 439-359 (2012)
557. Vladislav Semak, Jana Semakova, Lyda Halbaut, Ester Aso, Isidro Ferrer, Ana Calpena, Carmen Escolano and Jose Carlos Perales.  
Synthesis of tripeptanoin and formulation as a solid diet for rodents.  
Eur J Lipid Sci Technol 114: 889-898 (2012)
558. Del Mar O'Callaghan M, Emperador S, López-Gallardo E, Jou C, Buján N, Montero R, Garcia-Cazorla A, Gonzaga D, Ferrer I, Briones P, Ruiz-Pesini E, Pineda M, Artuch R, Montoya J.  
New mitochondrial DNA mutations in tRNA associated with three severe encephalomyopathic phenotypes: neonatal, infantile, and childhood onset.  
Neurogenetics 13: 245-250 (2012)
559. Lomoio S, López-González I, Aso E, Carmona M, Torrejón-Escribano B, Scherini E, Ferrer I.  
Cerebellar Amyloid- $\beta$  Plaques: Disturbed Cortical Circuitry in A $\beta$ PP/PS1 Transgenic Mice as a Model of Familial Alzheimer's Disease.  
J Alzheimers Dis 31: 285-300 (2012)
560. Gelpi E, Lladó A, Clarimón J, Rey MJ, Rivera RM, Ezquerra M, Antonell A, Navarro-Otano J, Ribalta T, Piñol-Ripoll G, Pérez A, Valldeoriola F, Ferrer I.

Phenotypic variability within the inclusion body spectrum of basophilic inclusion body disease and neuronal intermediate filament inclusion disease in frontotemporal lobar degenerations with FUS-positive inclusions.

J Neuropathol Exp Neurol 71: 795-805 (2012)

561. Aso E, Lomoio S, López-González I, Joda L, Carmona M, Fernández-Yagüe N, Moreno J, Juvés S, Pujol A, Pamplona R, Portero-Otin M, Martín V, Díaz M, Ferrer I.

Amyloid generation and dysfunctional immunoproteasome activation with disease progression in animal model of familial Alzheimer's disease.

Brain Pathol 22: 636-653 (2012)

562. Galea E, Launay N, Portero-Otin M, Ruiz M, Pamplona R, Aubourg P, Ferrer I, Pujol A.

Oxidative stress underlying axonal degeneration in adrenoleukodystrophy: a paradigm for multifactorial neurodegenerative diseases?

Biochem Biophys Acta 1822: 1475-1488 (2012)

563. Calero O, Bullido MJ, Clarimón J, Frank-García A, Martínez-Martín P, Lleó A, Rey MJ, Sastre I, Rábano A, de Pedro-Cuesta J, Ferrer I, Calero M.

A Common BACE1 Polymorphism Is a Risk Factor for Sporadic Creutzfeldt-Jakob Disease.

PLoS One 7: e43926 (2012).

564. Kley RA, Serdaroglu-Ofrazier P, Leber Y, Odgerel Z, van der Ven PF, Olivé M, Ferrer I, Onipe A, Mihaylov M, Bilbao JM, Lee HS, Höhfeld J, Djinovic-Carugo K, Kong K, Tegenthoff M, Peters SA, Stenzel W, Vorgerd M, Goldfarb LG, Fürst DO.

Pathophysiology of protein aggregation and extended phenotyping in filaminopathy.

Brain 135: 2642-2660 (2012)

565. Paco S, Ferrer I, Jou C, Cusí V, Corbera J, Torner F, Gualandi F, Sabatelli P, Orozco A, Gómez-Foix AM, Colomer J, Nascimento A, Jimenez-Mallebrera C.

Muscle Fiber Atrophy and Regeneration Coexist in Collagen VI-Deficient Human Muscle: Role of Calpain-3 and Nuclear Factor- $\kappa$ B Signaling.

J Neuropathol Exp Neurol 71: 894-906 (2012)

566. Evidence for Premature Lipid Raft Aging in APP/PS1 Double-Transgenic Mice, a Model of Familial Alzheimer Disease.

Fabelo N, Martín V, Marín R, Santpere G, Aso E, Ferrer I, Díaz M.

J Neuropathol Exp Neurol 71: 868-881 (2012)

567. Parchi P, de Boni L, Saverioni D, Cohen ML, Ferrer I, Gambetti P, Gelpi E, Giaccone G, Hauw JJ, Höftberger R, Ironside JW, Jansen C, Kovacs GG, Rozemuller A, Seilhean D, Tagliavini F, Giese A, Kretzschmar HA.

Consensus classification of human prion disease histotypes allows reliable identification of molecular subtypes: an inter-rater study among surveillance centres in Europe and USA.

Acta Neuropatho 124: 517-529 (2012)

568. Calero O, Bullido MJ, Clarimón J, Hortigüela R, Frank-García A, Martínez-Martín P, Lleó A, Rey MJ, Sastre I, Rábano A, de Pedro-Cuesta J, Ferrer I, Calero M.

Genetic variability of the gene cluster CALHM 1-3 in sporadic Creutzfeldt-Jakob disease.

Prion 6: 407-412 (2012)

569. Carrieri C, Cimatti L, Biagioli M, Beugnet A, Zucchelli S, Fedele S, Pesce E, Ferrer I, Collavin L, Santoro C, Forrest AR, Carninci P, Biffo S, Stupka E, Gustincich S.

Long non-coding antisense RNA controls Uchl1 translation through an embedded SINEB2 repeat.

Nature 491: 454-457 (2012)

570. Durrenberger PF, Fernando FS, Magliozzi R, Kashefi SN, Bonnert TP, **Ferrer I**, Seilhean D, Nait-Oumesmar B, Schmitt A, Gebicke-Haerter PJ, Falkai P, Grünblatt E, Palkovits M, Parchi P, Capellari S, Arzberger T, Kretschmar H, Roncaroli F, Dexter DT, Reynolds R.  
Selection of novel reference genes for use in the human central nervous system: a BrainNet Europe Study.

Acta Neuropathol 124: 893-903 (2012)

571. Alafuzoff I, Gelpi E, Al-Sarraj S, Arzberger T, Attems J, Bodi I, Bogdanovic N, Budka H, Bugiani O, Englund E, Ferrer I, Gentleman S, Giaccone G, Graeber MB, Hortobagyi T, Höftberger R, Ironside JW, Jellinger K, Kavantzias N, King A, Korkolopoulou P, Kovács GG, Meyronet D, Monoranu C, Parchi P, Patsouris E, Roggendorf W, Rozemuller A, Seilhean D, Streichenberger N, Thal DR, Wharton SB, Kretschmar H.

The need to unify neuropathological assessments of vascular alterations in the ageing brain: Multicentre survey by the BrainNet Europe consortium.

Exp Gerontol 47: 825-833 (2012)

572. Rodríguez-Martínez A, López de Munain A, Ferrer I, Zarranz JJ, Atares B, Villagra NT, Arteagoitia JM, Garrido JM, Juste RA.

Coexistence of protease sensitive and resistant prion protein in 129VV homozygous sporadic Creutzfeldt–Jakob disease: a case report.

Journal of Medical Case Reports 6: 348 (2012)

573. López-Erauskin J, Galino J, Bianchi P, Fourcade S, Andreu AL, Ferrer I, Muñoz-Pinedo C, Pujol A.

Oxidative stress modulates mitochondrial failure and cyclophilin D function in X-linked adrenoleukodystrophy.

Brain 135: 3584-3598 (2012)

574. Barrachina M, Moreno J, Villar-Menéndez I, Juves S, Ferrer I.

Histone tailacetylation in brain occurs in an unpredictable manner after death.

Cell Tissue Bank 13: 597-606 (2012)

575. Kwon KH, Kim JY, Kim SY, Min HK, Lee HJ, Ji IJ, Kang T, Park GW, An HJ, Lee B, Ravid R, Ferrer I, Chung CK, Paik YK, Hancock WS, Park YM, Yoo JS.

Chromosome 11-centric human proteome analysis of human brain hippocampus tissue.

J Proteome Res 12: 97-105 (2013)

576. López-Menéndez C, Gamir-Morralla A, Jurado-Arjona J, Higuero AM, Campanero MR, Ferrer I, Hernández F, Avila J, Díaz-Guerra M, Iglesias T.

Kidins220 accumulates with tau in human Alzheimer's disease and related models: modulation of its calpain-processing by GSK3 $\beta$ /PP1 imbalance.

Hum Mol Genet 22: 466-482 (2013)

577. Pera M, Alcolea D, Sánchez-Valle R, Guardia-Laguarta C, Colom-Cadena M, Badiola N, Suárez-Calvet M, Lladó A, Barrera-Ocampo AA, Sepulveda-Falla D, Blesa R, Molinuevo JL, Clarimón J, Ferrer I, Gelpi E, Lleó A.

Distinct patterns of APP processing in the CNS in autosomal-dominant and sporadic Alzheimer disease.

Acta Neuropathol 125: 201-213 (2013)

578. Kovacs GG, Rozemuller AJM, van Swieten JC, Gelpi E, Majtenyi K, Al-Sarraj S, Troakes C, Bodi I, King A, Hortebagui T, Esiri M, Ansorge O, Giaccone G, Ferrer I, Arzberger T, Bogdanovic N, Nilsson T, Leisser I, Alafuzoff I, Ironside JW, Kretschmar H, Budka.

Neuropathology of the hippocampus in FTLD-Tau with Pick bodies: a study of the BrainNet Europe Consortium.

Neuropathol Appl Neurobiol 39: 166-178 (2013)



579. López-Gonzalez I, Carmona M, Blanco R, Luna-Muñoz J, Martínez-Maldonado A, Mena R, Ferrer I.  
Characterization of thorn-shaped astrocytes in White matter of temporal lobe in Alzheimer's disease brains.  
Brain Pathol 23: 144-153 (2013)
580. Launay N, Ruiz M, Fourcade S, Schlüter A, Guilera C, Ferrer I, Knecht E, Pujol A.  
Oxidative stress regulates the ubiquitin-proteasome system and immunoproteasome functioning in a mouse model of X-adrenoleukodystrophy  
Brain 136: 891-904 (2013)
581. Antonell A, Lladó A, Altirriba J, Botta-Orfila T, Balasa M, Fernández M, Ferrer I, Sánchez-Valle R, Molinuevo JL.  
A preliminary study of the whole-genome expression profile of sporadic and monogenic early-onset Alzheimer's disease.  
Neurobiol Aging 34: 1772-1778 (2013)
582. Aso E, Semakova J, Joda L, Semak V, Halbaut L, Calpena A, Escolano C, Perales JC, Ferrer I.  
Triheptanoin Supplementation to Ketogenic Diet Curbs Cognitive Impairment in APP/PS1 Mice Used as a Model of Familial Alzheimer's Disease.  
Curr Alzheimer Res 10: 290-297 (2013)
583. Plá V, Paco S, Ghezali G, Ciria V, Pozas E, Ferrer I, Aguado F.  
Secretory Sorting Receptors Carboxypeptidase E and Secretogranin III in Amyloid  $\beta$ -Associated Neural Degeneration in Alzheimer's Disease.  
Brain Pathol 23: 274-284 (2013)
584. Gelpi E, Soler Insa JM, Parchi P, Saveroni D, Yagüe J, Nos C, Martínez-Saez E, Ribalta T, Ferrer I, Sanchez-Valle R  
Atypical neuropathological sCJD-MM phenotype with abundant White matter kuru-type plaques sparing the cerebellar cortex  
Neuropathology 33: 204-208 (2013)
585. Pinacho R, Villalmanzo N, Roca M, Iniesta R, Monje A, Haro JM, Meana JJ, Ferrer I, Gill G, Ramos B.  
Analysis of Sp transcription factors in the postmortem brain of chronic schizophrenia: A pilot study of relationship to negative symptoms.  
J Psychiatr Res 47: 926-934 (2013)
586. Villar-Menéndez I, Blanch M, Tyebji S, Pereira-Veiga T, Albasanz JL, Martín M, Ferrer I, Pérez-Navarro E, Barrachina M.  
Increased 5-methylcytosine and decreased 5-hydroxymethylcytosine levels are associated with reduced striatal A2AR levels in Huntington's disease.  
Neuromolecular Med 15: 295-309 (2013)
587. Garcia-Esparcia P, Schlüter A, Carmona M, Moreno J, Ansoleaga B, Torrejón-Escribano B, Gustincich S, Pujol A, Ferrer I.  
Functional Genomics Reveals Dysregulation of Cortical Olfactory Receptors in Parkinson Disease: Novel Putative Chemoreceptors in the Human Brain.  
J Neuropathol Exp Neurol.72: 524-539 (2013)
588. Aso E, Juvés S, Maldonado R, Ferrer I.  
CB2 Cannabinoid Receptor Agonist Ameliorates Alzheimer-Like Phenotype in A $\beta$ PP/PS1 Mice.  
J Alzheimers Dis 35: 847-58 (2013)
589. Perez-Gonzalez R, Pascual C, Antequera D, Bolos M, Redondo M, Perez DI, Perez-Grijalba V, Kryzanowska A, Sarasa M, Gil C, Ferrer I, Martínez A, Carro E

Phosphodiesterase 7 inhibitor reduced cognitive impairment and pathological hallmarks in a mouse model of Alzheimer's disease.  
Neurobiol Aging 34: 2133-2145 (2013)

590. Ansoleaga B, Garcia-Esparcia P, Llorens F, Moreno J, Aso E, Ferrer I.  
Dysregulation of brain olfactory and taste receptors in AD, PSP and CJD, and AD-related model.  
Neuroscience 248: 369-382 (2013)

591. Morató L, Galino J, Ruiz M, Calingasan NY, Starkov AA, Dumont M, Naudí A, Martínez JJ, Aubourg P, Portero-Otín M, Pamplona R, Galea E, Beal MF, Ferrer I, Fourcade S, Pujol A.  
Pioglitazone halts axonal degeneration in a mouse model of X-linked adrenoleukodystrophy.  
Brain 136: 2432-2443 (2013)

592. López-Erauskin J, Galino J, Ruiz M, Cuezva JM, Fabregat I, Cacabelos D, Boada J, Martínez J, Ferrer I, Pamplona R, Villarroja F, Portero-Otín M, Fourcade S, Pujol A.  
Impaired mitochondrial oxidative phosphorylation in the peroxisomal disease X-linked adrenoleukodystrophy.  
Hum Mol Genet 22: 3296-3305 (2013)

593. López-Erauskin J, Ferrer I, Galea E, Pujol A.  
Cyclophilin D as a potential target for antioxidants in neurodegeneration: the X-ALD case.  
Biol Chem 394: 621-629 (2013)

594. Bolos M, Spuch C, Ordoñez-Gutierrez L, Wandosell F, Ferrer I, Carro E.  
Neurogenic effects of  $\beta$ -amyloid in the choroid plexus epithelial cells in Alzheimer's disease.  
Cell Mol Life Sci 70: 2787-2797 (2013)

595. Aso E, Ferrer I.  
It may be possible to delay the onset of neurodegenerative diseases with an immunosuppressive drug (rapamycin).  
Expert Opin Biol Ther 13: 1215-1219 (2013)

596. Sanchez-Mut JV, Aso E, Panayotis N, Lott I, Dierssen M, Rabano A, Urdinguio RG, Fernandez AF, Astudillo A, Martin-Subero JI, Balint B, Fraga MF, Gomez A, Gurnot C, Roux JC, Avila J, Hensch TK, Ferrer I, Esteller M.  
DNA methylation map of mouse and human brain identifies target genes in Alzheimer's disease.  
Brain 136: 3018-3027 (2013)

597. Ahmed Z, Bigio EH, Budka H, Dickson DW, Ferrer I, Ghetti B, Giaccone G, Hatanpaa KJ, Holton JL, Josephs KA, Powers J, Spina S, Takahashi H, White CL 3rd, Revesz T, Kovacs GG. Globular glial tauopathies (GGT): consensus recommendations. Acta Neuropathol 126: 537-544 (2013)

## Books

Soriano E, JA del Rio, I Ferrer. Nonpyramidal neurons in the mammalian hippocampus: principles of organization and development. In: *The neocortex*. New York, London, Plenum Press, 1990, pp 185-192

Roca M, Carrió I, Prat L, Ferrer I, Mora J, Matín-Comín J. <sup>111</sup>In labeling of human IgG using a DTPA-IgG Kit. In: *radiolabeled blood elements. Recent Advances in Techniques and Applications*. New York, London, Plenum Press, 1994, pp 61-65

Pineda M, Milá M, Ferrer I, Navarro c. NCL in European Countries: Spain. En: *The neuronal ceroid lipofuscinoses (Batten disease)*. Amsterdam, Berlin, Oxford, IOS Press, 1999, pp 136

Ferrer I. Neurotrophin signalling in Alzheimer's disease: Implications in therapeutic strategies. Madrid, *Cerebro y Mente*, 2000, pp 304-322

Ferrer I. The neuropathological spectrum of Lewy body diseases. In: *Neurodegenerative disorders associated with  $\alpha$ -synuclein pathology*. Tolosa E, Schulz JB, McKeith IG, Ferrer I (eds), *Ars Medica*, Barcelona, 2002, pp 73-82

Calopa M, Tolosa E, Ferrer I, Rey MJ, Cardozo A, Martí MJ, T. Ribalta. Cortical Lewy bodies in Parkinson's disease with dementia. In: *Neurodegenerative disorders associated with  $\alpha$ -synuclein pathology*. Tolosa E, Schulz JB, McKeith IG, Ferrer I (eds), *Ars Medica*, Barcelona, 2002, pp 127-134

Berciano J, Vallderiola F, Ferrer I, Rumiá J, Pascual J, Marín C, Rey MJ, Tolosa E. Presynaptic parkinsonism in multiple system atrophy. En: *Neurodegenerative disorders associated with  $\alpha$ -synuclein pathology*. Tolosa E, Schulz JB, McKeith IG, Ferrer I (eds), *Ars Medica*, Barcelona, 2002, pp 143-150

Ferrer I. Microcephaly. In: *Developmental Neuropathology*. Golden JA, Harding BN (eds), ISN Neuropath Press, Basel, 2004, pp 26-31

Ferrer I. Pathology of brain edema and brain swelling. In: *Cerebrovascular diseases*. Kalimo H (edit), ISN Neuropath Press, Basel 2005, pp 32-38

Ferrer I. Stress kinases involve in Alzheimer's disease, tauopathies, and APP transgenic mice. In: *Gene-environment interplay in brain disease states*. Palomo T, Beninger R, Kostrezwa RM, Archer T (eds), *Graham Publish Co*, Mountain Home, 2005, pp 519-530

Ferrer I, Santpere G, Puig B. Immediate early genes, inducible transcription factors and stress kinases in Alzheimer's disease. In: *Immediate early genes in sensory processing, cognitive performance and neurological disorders*. Pinaud R, Tremere LA (eds), *Springer*, New York, 2006, pp. 243-260

Ferrer I, Kaste M, Kalimo H. Vascular diseases. In: *Greenfield's Neuropathology*. Eighth edition. Love S, Louis DN, Ellison DW (eds) *Hodder Arnold*, London, 2008, pp 121-240

Muñoz DG, Ferrer I. Neuropathology of hereditary forms of frontotemporal dementia and parkinsonism. In: *Handbook of Clinical Neurology*, vol 89: *Dementias*. Duyckaerts C, Litvan I (eds) *Elsevier*, Edinburgh, London, New York, Oxford, Philadelphia, St Louis, Sydney, Toronto, 2008, pp 393-414

Diaz M, Martin V, Fabelo N, Santpere G, Puig B, Marín R, Alonso R, Gomez T, Pérez JA, Ferrer I. Evidence for lipid alterations in lipid rafts from Alzheimer's disease human brain. In: *New Trends in Alzheimer and Parkinson related disorders: ADPD 2009*. Fisher A, Hanin I (eds) *Medimon International Proceedings*, 2009, pp 109-114

Ferrer I, Moreno D, Janué A.  $\alpha$ -B-crystallin (HspB5) and myofibrillar myopathies. In: Small stress proteins and human diseases. Simon S, Arrigo AP (eds), Nova Science Publishers, New York, 2010, pp 263-285

Naudí A, Jové M, Cacabelos D, Ramírez O, Ayala V, Ilieva EV, Kichev A, Ferrer I, Portero-Otín M, Pamplona R. Membrane unsaturation, selective neuronal vulnerability, and age-related neurodegenerative diseases. In: Lipid peroxidation: Biological implications, Catala A (edit) Transworld Research Network, Kerala 2011

Naudi A, Jové M, Ayala V, Ramírez O, Cabré R, Prat J, Portero-Otín M, Ferrer I, Pamplona R. Region specific vulnerability to lipid peroxidation in the human central nervous system. In: Lipid Peroxidation" Intech open science, Rijeka, Croatia 2012

Aso E, Ferrer I. Potential therapeutic strategies to prevent the progression of Alzheimer to disease states. In: Understanding Alzheimer disease. Zerr I (edit). Intech 2013, pp 251-302.

Barrachina M, Martín M, Ciruela F, Ferrer I. Epigenetic modulation of adenosine A2A receptor: A putative therapeutic tool for the treatment of Parkinson's disease. . In: Towards new therapies for Parkinson disease. Finkelstein DI (edit), Intech, 2012, pp. 295-312.

Albasanz JL, Castillo CA, Barrachina M, Ferrer I, Martín M. Modulation of signal transduction pathways in senescence-accelerated mice P8 strain: a useful tool for Alzheimer's disease research. In: The clinical spectrum of Alzheimer's disease. The charge toward comprehensive diagnostic and therapeutic strategies. De la Monte S (edit). Intech, 2012, pp. 297-330.

